

miR-EdiTar: a database of predicted A-to-I edited miRNA target sites

Alessandro Laganà^{1,*}, Alessio Paone¹, Dario Veneziano^{1,2}, Luciano Cascione^{1,2}, Pierluigi Gasparini¹, Stefania Carasi¹, Francesco Russo², Giovanni Nigita³, Valentina Macca³, Rosalba Giugno², Alfredo Pulvirenti², Dennis Shasha⁴, Alfredo Ferro² and Carlo M. Croce^{1,*}

¹Department of Molecular Virology, Immunology and Medical Genetics, Comprehensive Cancer Center, The Ohio State University, Columbus, OH, USA, ²Department of Clinical and Molecular Biomedicine, ³Department of Mathematics and Computer Science, University of Catania, Italy and ⁴Department of Computer Science, Courant Institute of Mathematical Sciences, New York University, New York, NY, USA

Associate Editor: Ivo Hofacker

ABSTRACT

Motivation: A-to-I RNA editing is an important mechanism that consists of the conversion of specific adenosines into inosines in RNA molecules. Its dysregulation has been associated to several human diseases including cancer. Recent work has demonstrated a role for A-to-I editing in microRNA (miRNA)-mediated gene expression regulation. In fact, edited forms of mature miRNAs can target sets of genes that differ from the targets of their unedited forms. The specific deamination of mRNAs can generate novel binding sites in addition to potentially altering existing ones.

Results: This work presents miR-EdiTar, a database of predicted A-to-I edited miRNA binding sites. The database contains predicted miRNA binding sites that could be affected by A-to-I editing and sites that could become miRNA binding sites as a result of A-to-I editing.

Availability: miR-EdiTar is freely available online at <http://micromc.osumc.edu/mireditar>.

Contact: alessandro.lagana@osumc.edu or carlo.croce@osumc.edu

Supplementary information: Supplementary data are available at *Bioinformatics* online.

Received on July 10, 2012; revised on September 23, 2012; accepted on September 24, 2012

1 INTRODUCTION

A-to-I editing is an essential post-transcriptional mechanism common to all eukaryotes. This form of editing is catalyzed by enzymes of the adenosine deaminase acting on RNA family and results in the conversion of single adenosines into inosines, which are recognized as guanosines by various cellular machineries (Bass, 2002). This can affect splicing and alter coding and non-coding sequences in RNA molecules, thus contributing to the diversity of the transcriptome (Rueter *et al.*, 1999; Yang *et al.*, 2008). Alterations of A-to-I editing have been associated to several human diseases, such as infections, neurological diseases and cancer (Dominissini *et al.*, 2011; Gallo and Locatelli, 2012; Maas *et al.*, 2006).

A-to-I editing can also influence micro RNA (miRNA)-mediated gene regulation (Nishikura, 2010). Several cases of A-to-I editing of miRNA precursors have been reported (Alon *et al.*, 2012; Kawahara *et al.*, 2007). This phenomenon can suppress processing by Drosha and Dicer, and the presence of inosines in the mature sequences can alter the recognition of their target sites (Yang *et al.*, 2006).

A-to-I editing is most abundant in the 3' untranslated region (UTR) regions of the human transcriptome (Athanasiadis *et al.*, 2004; Levanon *et al.*, 2004). This could affect the existing miRNA binding sites as well as generate novel binding sites (Liang and Landweber, 2007).

The importance of RNA editing in miRNA activity suggests the need for computational tools to predict and analyze the effects of RNA editing on miRNA-mediated regulation. This work presents miR-EdiTar, a database of predicted A-to-I edited miRNA binding sites. In this article, we describe the database and suggest some plausible scenarios of the involvement of editing in miRNA activity.

2 RESULTS

2.1 Prediction of A-to-I edited miRNA binding sites

We collected 1139 human 3' UTR sequences with 10 571 total A-to-I editing sites from the DAtabase of RNA EDiting (DARNED) (Kiran and Baranov, 2010) and used the computational method miRiam (Laganà *et al.*, 2010) to predict miRNA-target interactions that involve the edited sites. miRiam makes use of empirical binding rules and thermodynamics features, such as the structural accessibility of the target site and the energy of the miRNA/target duplex. We performed the predictions on the complete set of 1922 human miRNA sequences retrieved from miRBase Release 18 (Kozomara and Griffiths-Jones, 2011). The duplexes were then classified into two categories, depending on whether the edited adenosines were located on an miRNA seed binding region or not. Seed matches were classified as 6mer, 7mer-A1, 7mer-m8 and 8mer, as in Bartel (2009).

The descriptive statistics are summarized in the Supplementary Material.

*To whom correspondence should be addressed.




Fig. 1. Examples of predicted miRNA binding sites potentially affected by A-to-I editing. **(a)** Predicted binding site for miR-511 in the 3' UTR of CTSS. **(b)** An edited adenosine in a potential binding site for miR-324-5p on the 3' UTR of MRI1 may improve the seed match by adding an extra CG bond and changing the type from 7mer-A1 to 8mer. **(c)** An example of variation of structural accessibility of predicted miRNA binding sites affected by A-to-I editing. The estimated structural accessibility of a predicted binding site for miR-590-3p in the 3' UTR of the gene ARHGAP26 decreases by 40% due to editing events. The predicted interactions are shown along with the secondary structures of the unedited and edited versions of the binding sites

2.2 miR-EdiTar contents and web interface

miR-EdiTar contains a collection of predicted human miRNA binding sites in A-to-I edited 3' UTR sequences. The database contains two kinds of sites: (i) 'current' sites are sites that are predicted to be miRNA binding sites but could be affected by A-to-I editing and (ii) 'novel' sites are sites that are not predicted to be miRNA binding sites but could become miRNA binding sites as a result of A-to-I editing.

The web site can be searched by miRNA and/or by target. Given an miRNA, the list of its predicted targets is shown in a box. When a target is selected, the corresponding interaction details are displayed on a table and available for download in comma separated value (CSV) format. The binding sites are grouped into two categories based on their type (current sites or novel sites). Several data elements are provided, such as the position of the binding site on the UTR, the seed type, the free energy of the duplex, the structural accessibility degree, the interaction score and the duplex structure. The edited bases are highlighted in bold characters and the corresponding alignment pipes are replaced with an X, indicating the potential disruption of the corresponding bond. In the case of current sites, an entry indicates whether the edited bases are located in the seed region. Moreover, the values of seed type, free energy, accessibility, interaction score and duplex structure are provided for both the edited and unedited forms of the site. Similar results can be obtained by choosing a target from the list and then selecting one of its predicted miRNAs.

Check boxes can be used to filter the results visualized. In particular, users can choose to filter the interactions based on the type of predicted site (current or novel), the fact that the seed region is edited or not, the type of seed match (6mer, 7mer-A1, 7mer-m8 and 8mer) and the energy of the duplex.

Finally, miR-EdiTar is connected to miRo', a web environment that provides users with miRNA functional annotations inferred through their validated and predicted targets (Laganà *et al.*, 2009).

More details on the data and the methods used can be found in the Supplementary Material.

3 DISCUSSION

The modifications of predicted miRNA binding sites are classified into two categories, based on whether the editing events occur in the seed region or in another part of the duplex. The replacement of adenosines with inosines in the seed region can change A-U matches into G-U wobbles which are sometimes tolerated, especially in the presence of compensatory matches elsewhere in the duplex, but which have been reported to weaken the interaction or even abrogate binding (Brennecke *et al.*, 2005) (Fig. 1a, Supplementary Fig. S1a). Editing events that occur outside of the seed binding region could also influence targeting. They might either reduce the stability of the duplex, through the introduction of G-U wobbles and mismatches, or increase it by improving the seed match or by creating new matches outside the seed area (Fig. 1b, Supplementary Fig. S1b and S1c).

The presence of inosines in miRNA binding sites could also alter their secondary structure and, as a consequence, increase or reduce the chances of binding. It has been demonstrated that single nucleotide polymorphisms (SNPs) can significantly change mRNA secondary structure (Halvorsen *et al.*, 2010; Shen *et al.*, 1999) and that changes in secondary structure can significantly affect the binding of miRNAs (Haas *et al.*, 2012;

Kertesz *et al.*, 2007). Therefore, it is plausible that editing events may yield similar effects (Fig. 1c, Supplementary Fig. S2).

Other than affecting existing miRNA binding sites, A-to-I editing can generate novel miRNA/target interactions by either changing mature miRNA sequences or creating new sites on UTRs, as already reported by a few studies (Borchert *et al.*, 2009; Kawahara *et al.*, 2007). In Supplementary Material, we show that deamination of the 3' UTR of the gene MDM4 could generate a novel binding site for miR-500a-3p.

All these hypotheses and preliminary experiments suggest a new layer of dynamic regulation in miRNA-mediated gene expression control and encourage further investigations. We plan to update the database with new editing sites and new predictions as soon as new data is available, as well as consider other types of RNA editing, like C-to-U editing. Moreover, since editing sites in DARNED do not necessarily reflect editing events as they occur in mRNAs, future work will also include the implementation of an expressed sequence tags (EST)-based filter to refine the miRNA binding site predictions. Finally, we plan to include data about the editing of miRNA sequences along with their affected and newly created predicted targets in addition to data on tissue specificity of both miRNAs and editing events.

ACKNOWLEDGEMENTS

The authors thank the anonymous reviewers for their helpful comments.

Funding: This work has been supported by a fellowship sponsored by 'Associazione Sclerosi Tuberosa' (AST) to V.M. and U.S. National Science Foundation grants 0922738, 0929338 and 1158273 and National Institutes of Health grants GM 32877-21/22 and 2R01GM032877-25A1 to D.S.

Conflict of Interest: none declared.

REFERENCES

- Alon, S. *et al.* (2012) Systematic identification of edited microRNAs in the human brain. *Genome Res.*, **22**, 1533–1540.
- Athanasiadis, A. *et al.* (2004) Widespread A-to-I RNA editing of Alu-containing mRNAs in the human transcriptome. *PLoS Biol.*, **2**, e391.
- Bartel, D.P. (2009) MicroRNAs: target recognition and regulatory functions. *Cell*, **136**, 215–233.
- Bass, B.L. (2002) RNA editing by adenosine deaminases that act on RNA. *Annu. Rev. Biochem.*, **71**, 817–846.
- Borchert, G.M. *et al.* (2009) Adenosine deamination in human transcripts generates novel microRNA binding sites. *Hum. Mol. Genet.*, **18**, 4801–4807.
- Brennecke, J. *et al.* (2005) Principles of microRNA-target recognition. *PLoS Biol.*, **3**, e85.
- Domimissini, D. *et al.* (2011) Adenosine-to-inosine RNA editing meets cancer. *Carcinogenesis*, **32**, 1569–1577.
- Gallo, A. and Locatelli, F. (2012) ADARs: allies or enemies? The importance of A-to-I RNA editing in human disease: from cancer to HIV-1. *Biol. Rev.*, **87**, 95–110.
- Haas, U. *et al.* (2012) MicroRNA-mediated regulation of gene expression is affected by disease-associated SNPs within the 3'-UTR via altered RNA structure. *RNA Biol.*, **9**, 6.
- Halvorsen, M. *et al.* (2010) Disease-associated mutations that alter the RNA structural ensemble. *PLoS Genet.*, **6**, e1001074.
- Kawahara, Y. *et al.* (2007) Redirection of silencing targets by adenosine-to-inosine editing of miRNAs. *Science*, **315**, 1137–1140.
- Kertesz, M. *et al.* (2007) The role of site accessibility in microRNA target recognition. *Nat. Genet.*, **39**, 1278–1284.
- Kiran, A. and Baranov, P.V. (2010) DARNED: a DAtabase of RNa EDiting in humans. *Bioinformatics*, **26**, 1772–1776.
- Kozomara, A. and Griffiths-Jones, S. (2011) miRBase: integrating microRNA annotation and deep-sequencing data. *Nucleic Acids Res.*, **39**, D152–D157.
- Laganà, A. *et al.* (2009) miRò: a miRNA knowledge base. *Database*, **2009**, article ID bap008; doi: 10.1093/database/bap008.
- Laganà, A. *et al.* (2010) Prediction of human targets for viral-encoded microRNAs by thermodynamics and empirical constraints. *J. RNAi Gene Silencing*, **6**, 379–385.
- Levanon, E.Y. *et al.* (2004) Systematic identification of abundant A-to-I editing sites in the human transcriptome. *Nat. Biotechnol.*, **22**, 1001–1005.
- Liang, H. and Landweber, L.F. (2007) Hypothesis: RNA editing of microRNA target sites in humans? *RNA*, **13**, 463–467.
- Maas, S. *et al.* (2006) A-to-I RNA editing and human disease. *RNA Biol.*, **3**, 1–9.
- Nishikura, K. (2010) Functions and regulation of RNA editing by ADAR deaminases. *Annu. Rev. Biochem.*, **79**, 321–349.
- Rueter, S.M. *et al.* (1999) Regulation of alternative splicing by RNA editing. *Nature*, **399**, 75–80.
- Shen, L.X. *et al.* (1999) Single-nucleotide polymorphisms can cause different structural folds of mRNA. *Proc. Natl Acad. Sci. USA*, **96**, 7871–7876.
- Yang, W. *et al.* (2006) Modulation of microRNA processing and expression through RNA editing by ADAR deaminases. *Nat. Struct. Mol. Biol.*, **13**, 13–21.
- Yang, Y. *et al.* (2008) A-to-I RNA editing alters less-conserved residues of highly conserved coding regions: implications for dual functions in evolution. *RNA*, **14**, 1516–1525.