

***Austroagallia avicula* (Ribaut, 1935)**  
**(Hemiptera, Auchenorrhyncha, Cicadellidae)**  
**– a new record from the Maltese Islands**

Vera D'URSO<sup>1</sup>

During a survey on the Auchenorrhyncha fauna of Gozo some specimens belonging to *Austroagallia avicula* (Ribaut, 1935) were collected from Ramla, a Natura 2000 site. In a previous paper on the Maltese Auchenorrhyncha fauna (D'URSO & MIFSUD, 2012) three specimens of the above mentioned species from Ramla were erroneously included in *Austroagallia sinuata* (Mulsant & Rey, 1855). At the present state of knowledge, *A. avicula* is reported only from Gozo and *A. sinuata* only from various habitats in Malta.

***Austroagallia avicula* (Ribaut, 1935)**  
(Fig. 1)

**Material examined:** Maltese Islands, Gozo, Ramla, 28.i.1997, 2 ♂♂ & 1 ♀, leg. D. Mifsud (as *A. sinuata*); Ramla, 5.ii.2015, 2 ♂♂ & 11 ♀♀, on *Ononis*, leg. V. D'Urso & D. Mifsud.



**Figure 1:** Habitus photograph of *Austroagallia avicula* (female). Scale bar = 1 mm

<sup>1</sup> Department of Biological, Geological and Environmental Sciences, University of Catania, Italy. E-mail: dursove@unict.it

**Notes:** The species is currently known from southern France, Sicily, Sardinia, Near East, Asia and from northern Africa. Adults were collected on *Ononis* sp. in Sicily and in Gozo, mostly in coastal habitats. A phytoplasma belonging to 16SrII group was detected in *A. avicula* in Oman, in alfalfa fields infected with witches' broom phytoplasma but that phytoplasma was distinct from lime witches' broom phytoplasma, the most commonly found phytoplasma in the Sultanate (KHAN *et al.*, 2003).

### ACKNOWLEDGEMENTS

I would like to thank David Mifsud for all his help and encouragement to prepare this scientific note.

### REFERENCES

- D'URSO V. & MIFSUD D. (2012) A preliminary account of the Auchenorrhyncha of the Maltese Islands (Hemiptera). *Bulletin of the Entomological Society of Malta*, 5: 57–72.
- KHAN A.J., BOTTI S., AL-SUBHI A.M., ZAIDI M.A., ALTOSAAR I., ALMA A. & BERTACCINI A. (2003) Molecular characterization of the 16S rRNA gene of phytoplasmas detected in two leafhopper species associated with alfalfa plants infected with witches' broom in Oman. *Phytopathologica Mediterranea*, 42: 257–267.

Received: January 10, 2016  
Accepted: February 20, 2016