Contents lists available at ScienceDirect





Transportation Research Part E

journal homepage: www.elsevier.com/locate/tre

OVAP: A strategy to implement partial information sharing among supply chain retailers



Roberto Dominguez^{a,*}, Salvatore Cannella^{b,c}, Ana P. Barbosa-Póvoa^a, Jose M. Framinan^c

^a Centre for Management Studies, Instituto Superior Técnico (CEG-IST), Technical University of Lisbon, Portugal

^b DICAR, University of Catania, Catania, Italy

^c Industrial Management & Business Administration Department, School of Engineering, University of Seville, Spain

ARTICLE INFO

Keywords: Supply chain management Partial information sharing Heterogeneous retailers Bullwhip effect Multi-agent model OVAP

ABSTRACT

This paper analyses the impact on supply chain performance of adopting different strategies to implement partial information sharing among heterogeneous retailers. Supply chains are modelled using a multi-agent systems approach. We find that the strategy adopted to construct the partial information sharing structure (*i.e.*, the retailers who share information) has a significant impact on supply chain performance. We propose a practical strategy, named Order VAriance Prioritization (OVAP), which gives priority to the retailers with higher order variance. OVAP outperforms the worst (*i.e.* naive) implementation method by 27.2% and 7.8% with respect to the levels of bullwhip and average inventory.

1. Introduction

1.1. Context and motivation

Information Sharing (IS) has been acknowledged as an effective practice for coordination among the nodes of decentralized Supply Chains (SCs), improving the global performance and reducing production and logistics inefficiencies caused by the bullwhip effect (Ali et al., 2012; Chatfield et al., 2004; Dejonckheere et al., 2004; Lee et al., 1997; Shan et al., 2014; Trapero et al., 2012; Wang and Disney, 2016). However, there are numerous barriers to the implementation of IS in SCs (Ali et al., 2017; Spekman and Davis, 2016) including the risk of information leakage (Huang et al., 2016; Kong et al., 2013), lack of trust (Shnaiderman and Ouardighi, 2014), resource investments in Information Technology (Gunasekaran et al., 2017; Kembro et al., 2014), wide variety of technology and tools (Ramanathan, 2014), different types of information (Rached et al., 2016; Yu et al., 2010), information distortion (Jeong and Leon, 2012; Niranjan et al., 2011), and unbalanced share of gains between SC members (Lee and Whang, 2000; Rached et al., 2015; Shih et al., 2015). These barriers, together with the decentralization and globalization of modern SCs make it difficult to achieve a full/perfect IS among SC members and thus, this assumption deviates from real-life in some cases (Huang and Wang, 2017). As a consequence, partial IS is a prevalent scenario in real-life SCs (Shnaiderman and Ouardighi, 2014; Xu et al., 2015; Zhou et al., 2009).

According to the literature, partial IS in SCs takes place when the information is asymmetrically shared among SC members (see e.g. Gümüş, 2014; Gunasekaran et al., 2015; Inderfurth et al., 2013; Li et al., 2016; Zhou et al., 2017a), delayed (see e.g. Hoberg and

https://doi.org/10.1016/j.tre.2017.12.016

Received 8 September 2017; Received in revised form 22 December 2017; Accepted 23 December 2017 Available online 30 December 2017

1366-5545/ © 2017 Elsevier Ltd. All rights reserved.

^{*} Corresponding author at: Centre for Management Studies (CEG-IST), Instituto Superior Técnico, Technical University of Lisbon, Ave. Rovisco Pais 1, 1049-001 Lisbon, Portugal.

E-mail addresses: roberto.dominguez@tecnico.ulisboa.pt (R. Dominguez), cannella@unict.it (S. Cannella), apovoa@tecnico.ulisboa.pt (A.P. Barbosa-Póvoa), framinan@us.es (J.M. Framinan).

Thonemann, 2014; Hosoda and Disney, 2012), partially revealed (Zhang et al., 2016), shared only between some members of the SC (see e.g. Ganesh et al., 2014a, 2014b; Lau et al., 2004; Huang and Wang, 2017), or inaccurate, either intentionally (see e.g. Huang et al., 2017; Shnaiderman and Ouardighi, 2014) or unintentionally (see e.g. Cannella et al., 2015; Kwak and Gavirneni, 2015). A specific case of partial IS occurs when the information is symmetrically, timely and accurately shared, but takes place only between some members of the SC. In fact, it is common that some members of SC do not participate in IS, particularly at the retailer stage (empirical evidence showed that only 27% of retailers shared POS data with other members, see Shang et al., 2016). Nevertheless, despite being a common practice, there is a lack of academic studies on the topic (Holmstrom et al., 2016). To the best of authors' knowledge, there are only five studies addressing this theme: Costantino et al. (2014) and Ganesh et al. (2014a, 2014b) analyse how different degrees of collaboration between SC members impact the bullwhip effect, inventory holding and shortage costs, and/or customer service levels in a serial SC. Lau et al. (2004) analyse partial IS in three divergent SCs with increasing complexity. Finally, Huang and Iravani (2005) analyse a SC with one capacitated manufacturer and two different retailers where the former may receive demand and inventory information from any of the retailers.

All these works agree that retailers provide, by sharing customer demand information, the highest performance improvement for SCs with respect to other members (*e.g.* wholesalers and distributors). Nevertheless, an important limitation of the above studies is that they assume – with the exception of Lau et al. (2004) – a single retailer in the SC. However, real SCs often include more than one retailer (Wan and Evers, 2011) and, due to the complexities of modern SCs, retailers may operate under different market scenarios (*e.g.* different customer demand) and/or Operational Factors (OFs) (*e.g.* lead time, inventory order policies, forecasting methods, etc.). These implications concern both traditional SCs (*i.e.*, SCs without IS) and partial IS SCs that are willing to adopt or upgrade the IS strategy (*i.e.*, to incorporate new retailers). In cases where it is undesirable or infeasible to transform the current (traditional or partial IS) SC into a full IS SC, where all retailers share information with upstream echelons, it is of great interest to define a strategy to incorporate new retailers in IS by identifying the retailer(s) who can provide the highest global performance improvement by sharing market demand information with upstream members. In this manner, a roadmap for implementing IS can be devised in order to capture most IS benefits at a reduced cost. Despite its potential, to the best of the authors' knowledge, the analysis of different strategies for implementing partial information sharing among heterogeneous retailers has not been previously addressed.

Thus, it is important to understand how to select the most suitable retailers taking into account that (1) they are usually heterogeneous and (2) upstream members often lack visibility regarding retailers' internal processes and policies. A practical and userfriendly method for identifying appropriate retailers is to analyse retailers' order patterns and, more specifically, the variability of orders. There are two main reasons to follow such an approach: (1) orders are one of the few data transmitted upstream by retailers in a traditional SC, and (2), IS is known to be more beneficial in a SC where members have to face higher order variability (Chatfield and Pritchard, 2013). According to these considerations, we argue that IS might be more beneficial when it involves retailers who transmit upstream most of the variability of the orders in the SC, and by doing so, reduces their contribution to the demand amplification.

1.2. Objectives and contribution

Motivated by the considerations in the previous section, our research objectives are:

- 1. To determine the impact of the IS implementation strategy (*i.e.*, how to select the appropriate retailers for IS) on SC performance when retailers are heterogeneous. More specifically, we intend to prove that the specific strategy adopted for IS implementation has a significant effect for the SC in terms of the bullwhip effect and inventory levels.
- 2. To propose and test (through simulation) a practical IS implementation strategy to achieve effective IS for SCs with heterogeneous retailers and partial IS, quantifying its benefits in terms of bullwhip and average inventory reductions. More specifically, we will show that our proposed strategy exploits most of IS capability under partial IS.

Such strategy, named Order VAriance Prioritization (OVAP), considers retailers' order variability to identify potential retailers for IS. As such, this is a "pre-assessment" strategy, since it is based on current information of the SC, and it can be determined prior to the performance assessment, avoiding the need of running a SC model. Consequently, OVAP can be implemented in practice. More specifically, OVAP determines the retailers for IS as follows:

- Estimate retailers' order variance prior to IS implementation.
- Generate a sequence of retailers, which are ranked from the highest to the lowest order variance (*i.e.*, retailers with higher order variance are potentially better partners for IS).

In order to get more accurate dynamic insights, a model of an entire SC should be considered (Chatfield, 2013). As such, to fulfil the research objectives we model a SC with four echelons (*i.e.*, Factory, Distributor, Wholesaler and Retailer), each of them characterized by one member with the exception of the Retailer's echelon. In order to consider several partial IS structures and allow for a precise representation of the performance of OVAP, we consider four retailers (see Fig. 1). Each retailer may or may not share private market demand information with the Wholesaler (*i.e.*, partial IS), who may use this data in his/her inventory control policy. Additionally, retailers are heterogeneous, as they face different market and geographical conditions. Such heterogeneity is specifically simulated by systematically varying three different OFs (*i.e.*, average lead time, market demand variability, and forecasting period). Finally, since SC processes are often subject to uncertainty, we consider stochastic demand and lead times in order to obtain more




Fig. 1. SC with partial IS at retailers.

realistic results.

To fulfil the first research objective, we define and compare two benchmarking strategies (*i.e.*, BEST and WORST). These are "post-assessment" strategies, since they can be determined only after the assessment of the performance of all the possible partial IS structures, thus needing to run a SC model. More specifically, BEST selects the retailers who provide the best SC performance improvement, and WORST selects the retailers who provide the worst SC performance improvement. Consequently, BEST and WORST cannot be implemented in practice.

To fulfil the second research objective, OVAP is compared with BEST and WORST under several scenarios with partial IS and different levels of retailer heterogeneity. Since BEST and WORST represent the best and the worst possible IS implementation strategies, OVAP will have an intermediate performance. However, if OVAP performs close to BEST, then it can be concluded that OVAP is a good strategy to implement IS. As mentioned before, SC performance is assessed by measuring the bullwhip effect and the average inventory, so we adopt two system-level metrics, namely Bullwhip Slope and Systemic Inventory Level, which allow us to easily compare the global performance of different SCs (Cannella et al., 2013).

The inherent complexity of the SCs to be analysed, characterized by a divergent configuration, heterogeneous members facing stochastic demands and lead times, and where the collaboration to share market information takes place only among a few members, makes simulation a suitable approach to develop the models and perform the analysis. In fact, simulation, and particularly Multi-Agent Systems (MAS), has been recognised as an effective research methodology for complex systems modelling (see *e.g.*, Costantino et al., 2016, 2015a; Langroodi and Amiri, 2016; Long, 2015, or Ponte et al., 2016, 2017). More specifically, to develop the SC models we use SCOPE (Dominguez and Framinan, 2013), a MAS-based software tool for complex SC modelling. In order to perform a systematic analysis of the simulations, we adopt reasonable assumptions and data inputs for simulations obtained from different cases to emulate real-world logistic systems (Dominguez et al., 2017). SCOPE has been validated by contrasting the results obtained from the simulations with those reported by other authors. More specifically, in Dominguez and Framinan (2013), a four-stage serial SC has been modelled and the results (amplification of the standard deviation of orders) obtained by SCOPE are found to be in line with those provided by Chatfield et al. (2004), Chen et al. (2000), Dejonckheere et al. (2004).

The computational experience carried in Section 4 shows that there are significant differences in the performance of BEST and WORST, particularly for high levels of retailer heterogeneity, which indicates that the specific IS implementation strategy adopted is relevant for SC performance. Results also show that OVAP is a suitable IS implementation strategy that ensures a high SC performance improvement for any type of partial IS structure. More specifically, for certain levels of retailer heterogeneity, the SC performance improvement obtained by OVAP and BEST are identical in 93.33% and 84.44% of the scenarios analysed in terms of Bullwhip Slope and Systemic Inventory Level, respectively.

The remainder of this paper is as follows: Section 2 describes the SC model. Section 3 presents the design of experiments. In Section 4 we analyse the results obtained and provide the main findings of the work. Finally, Section 5 presents some industrial recommendations, concluding remarks, and future research lines.

2. Supply chain model

The SC model is an extension of that by Chatfield et al. (2004) in order to model divergent SCs (see *e.g.* Dominguez et al., 2014), and it has been specifically developed to model partial IS.

Regarding the notation adopted in the model, subscript i = 1...E indicates the echelon's position in the SC, being i = 1 the most

upstream echelon. Subscript $j = 1...N_i$ indicates node's position in echelon *i*, being N_i the total number of nodes in echelon *i*. In addition, $N_i \ge N_{i-1}$ in order to model a divergent SC. A generic node in the SC can be denoted as n_{ij} . In order to model the partial IS, we use a binary variable (δ_{ii}) : $\delta_{ii} = 1$ if node n_{ii} shares information with an upstream partner, and $\delta_{ii} = 0$ otherwise.

In the following we describe the main modelling assumptions:

- Supply chain configuration: We adopt the commonly used four-echelon (E = 4) SC structure (see *e.g.* Chatfield et al., 2004; Sterman, 1989). The reason is that, by considering an entire SC, we are able to get more accurate dynamic insights (Zhou et al., 2017b) and avoid underestimating the bullwhip effect (Chatfield, 2013). In order to model partial IS at retailers, this SC model is extended by considering several retailers, resulting in a divergent SC. More specifically, we consider four retailers ($N_i = 4 \forall i = 4$; $N_i = 1 \forall i < 4$), since these numbers allow us to provide a detailed representation of the SC performance by considering several partial IS structures (see Fig. 1). Retailers are the only SC members allowed to share demand information upstream ($\delta_{ij} = 0$, $1 \forall i = 4$; $\delta_{ij} = 0 \forall i < 4$). In addition, we assume that this information can be received only by the immediate upstream partner, *i.e.* the Wholesaler (Kembro and Selviaridis, 2015; Lau et al., 2004).
- <u>Customer demands</u> are stochastic, independent and identically distributed, and follow a normal distribution (D^t_{CJ}) (Chatfield et al., 2004; Rekik et al., 2017).
- *Capacity constraint*. There is unlimited production, transportation and stocking capacity.
- <u>Backlog</u>. In the event of a stock-out situation, a node partially replenishes its customer with the remaining stock and backorder the
 excess of demand (Chatfield and Pritchard, 2013).
- <u>Return of excess inventory</u> to upstream partners is not permitted, as it has been shown that this condition may alter the assessment of SC performance (Chatfield and Pritchard, 2013; Dominguez et al., 2015b).
- <u>Lead times</u> of a node n_{ij} (L_{ij}^i) are defined as the time elapsed between order and receipt, and are assumed to be stochastic, independent, and identically distributed. Lead times follow a Gamma distribution (see *e.g.*, Bischak et al., 2014; Chatfield et al., 2004; Dominguez et al., 2015b, Hayya et al., 2011, among others). Since the simulation model is based on discrete time periods, we assume lead times to be integers. Therefore, values obtained from the Gamma distribution are discretized. Consequently, each time an order is generated, it is assigned a random integer lead time, which corresponds to the number of periods required for the order to arrive. Although the effect of stochastic lead times is not analysed when exposing the simulation results, we assume stochastic lead times as it better emulates real SCs. In fact, in many realistic situations, lead times depend on several uncertain events across the entire SC, and a number of researchers have shown lead-time variability to be an issue that significantly impacts on inventory models and systems (Bischak et al., 2014; Chaharsooghi and Heydari, 2010; Chatfield et al., 2004; Chatfield and Pritchard, 2013; Kim et al., 2006; Hayya et al., 2011; Lin, 2016, among others).
- <u>Order crossovers</u> are allowed, *i.e.*, replenishment may be received in a different sequence than they were ordered (Bischak et al., 2014; Chatfield and Pritchard, 2017; Disney et al., 2016; Hayya et al., 2008).
- <u>Orders received</u>. On period t, node n_{ij} issues an order O_{ij}^t , and receives orders from a set V_{ij} of downstream linked nodes. Total demand received by node n_{ij} (D_{ij}^t) can be then expressed as in Eq. (1).
- <u>Ordering policy</u>. SC members use an adaptive (*R*,*S*) periodic review policy (Babai et al., 2016; Li and Disney, 2017; Li et al., 2014; Syntetos et al., 2016a; Zhou et al., 2017b), where *R* is the review period. *S* is the desired OUT level, and it is updated in every period. These type of policies are widely used in SCs (Bischak et al., 2014; Costantino et al., 2015b). Orders are placed at discrete time intervals according to the review period (we assume R = 1, Chatfield et al., 2004) as in Eq. (2), where IP_{ij}^t is the inventory position, WIP_{ij}^t is the work in progress, I_{ij}^t is the current on hand inventory and B_{ij}^t is backlog. The OUT level (S_{ij}^t) is computed by a common approach as in Eq. (3) (see e.g. Chatfield et al., 2004), where *z* is a safety factor, \overline{D}_{ij}^t and $s_{D_{ij}^t}^2$ are the estimations of demand

average and variance, \overline{L}_{ij}^t and $s_{L_{ij}^t}^2$ are the estimations of lead times average and variance (we assume the same z for all nodes of the SC (Kim et al., 2006)).

- <u>Demand forecast.</u> A node n_{ij} dynamically updates the forecast of incoming demand by a τ_{ij} -periods moving averages/variances forecasting technique (Chatfield et al., 2004; Chen et al., 2000; Syntetos et al., 2016b), as in Eqs. (4) and (5). Lead times are estimated by running averages and variances approaches, *i.e.* using all prior information available ($\tau_{ij} = t$) (Cannella et al., 2017; Chatfield, 2013).

$$D_{ij}^{t} = \sum_{r \in V_{ij}} O_{i+1,r}^{t}; \quad D_{Ej}^{t} = D_{C_{j}}^{t}$$
(1)

$$O_{ij}^{t} = S_{ij}^{t} - IP_{ij}^{t} = S_{ij}^{t} - I_{ij}^{t} + B_{ij}^{t} - WIP_{ij}^{t}, \quad O_{ij}^{t} \ge 0$$
⁽²⁾

$$S_{ij}^{t} = (\overline{L}_{ij}^{t} + 1)\overline{D}_{ij}^{t} + z_{\sqrt{(\overline{L}_{ij}^{t} + 1)s_{D_{ij}^{t}}^{2} + \overline{D}_{ij}^{t2}s_{L_{ij}^{t}}^{2}}}$$
(3)

$$\overline{D}_{ij}^{t} = \frac{\sum_{k=1}^{\tau_{ij}} D_{ij}^{t-k}}{\tau_{ij}}$$
(4)

$$s_{D_{ij}^{t}}^{2} = \frac{1}{\tau_{ij} - 1} \sum_{k=1}^{\tau_{ij}} (D_{ij}^{t-k} - \overline{D}_{ij}^{t-k})^{2}$$
(5)

- <u>Partial information sharing</u>. If a downstream node shares information with its upstream node, the latter can see the demand information from the downstream node, otherwise it only sees the order posed by the downstream node. As a consequence, since there might be several downstream linked nodes, the demand information received by the upstream node or "shared demand" is a combination of downstream demand and downstream orders depending on whether the downstream nodes share demand information, or not. This is modelled as in Eq. (6) where ShD_{ij}^{t} is the shared demand. The upstream node then uses this information to forecast demand and determine the OUT level, which is modelled by replacing D_{ij}^{t} by ShD_{ij}^{t} in Eqs. (3)–(5).

$$ShD_{ij}^{t} = \sum_{r \in V_{ij}} ShD_{i+1,r}^{t} \delta_{i+1,r} + O_{i+1,r}^{t} (1 - \delta_{i+1,r})$$
(6)

- <u>Sequence of actions.</u> For each period, each node n_{ij} performs the following sequence of actions: (1) computes the S_{ij}^t level using the forecast computed in the previous period; (2) if $S_{ij}^t > IP_{ij}^t$, places an order O_{ij}^t and increases WIP_{ij}^t accordingly; (3) receives the products from the upstream partner, reducing WIP_{ij}^t and increasing I_{ij}^t accordingly; (4) if $I_{ij}^t > 0$, satisfies backorders, reducing I_{ij}^t and B_{ij}^t accordingly; (5) receives new orders from downstream linked nodes (D_{ij}^t) and the demand information, in case that the node shares it (ShD_{ij}^t) . If $D_{ij}^t \leq I_{ij}^t$ satisfies demand and reduces I_{ij}^t accordingly. If $D_{ij}^t > I_{ij}^t$ partially satisfies demand with the available inventory, reducing I_{ij}^t accordingly $(I_{ij}^t = 0)$, and backordering the unsatisfied demand $(B_{ij}^t = D_{ij}^t - I_{ij}^t)$; (6) forecast demand using updated shared demand information (ShD_{ij}^t) and lead time for the next period $[\overline{ShD_{ij}^t}, S_{ShD_{ij}^t}^t, T_{ij}^t, S_{L_{ij}^t}^t]$.

The SC model described in this section has been developed using SCOPE, a MAS-based SC simulator. This tool was implemented using the Swarm libraries, specifically designed to build MAS-based models (Minar et al., 1996). The scalability of MAS models allows SCOPE to create a wide range of SC configurations with any number of companies distributed along the SC. Agents can be updated with new behaviours, and can be individually customized. These features make SCOPE a suitable simulation platform to develop divergent SC models with partial IS and heterogeneous SC members. SCOPE was used to model and analyse complex SC problems in divergent SCs in some recent studies (see *e.g.*, Cannella et al., 2017; Dominguez et al., 2017).

3. Design of experiments (DoE)

The aim of the DoE is to generate a test-bed of different SCs with heterogeneous retailers in order to test the efficiency of the proposed implementation strategy (OVAP). In addition, OVAP will be benchmarked against the two post-assessment strategies BEST and WORST. Recall that these strategies, using the data obtained from the simulations, select the best and the worst retailers for IS, respectively.

The definition of the design of experiments entails the following aspects:

- I. Emulation of heterogeneous retailers, definition of the levels of retailer heterogeneity and a variety of SCs.
- II. Determination of model parameters.
- III. Determination of SC performance metrics.
- IV. Determination of the information sharing structures.

Table 1

V. Definition of the benchmarking strategies: BEST and WORST.

These aspects are discussed in the following subsections.

3.1. Emulation of heterogeneous retailers, definition of the levels of retailer heterogeneity and a variety of SCs

To emulate heterogeneous retailers, we perform experiments by systematically varying three of their OFs, *i.e.*, demand variance $(\sigma_{DC_j}^2)$, forecasting period (τ_{ij}) and lead time average (μ_{Lij}) (Dominguez et al., 2017). Considering that upstream members of the SC often lack visibility on retailers' internal processes and policies, we assume that retailers' OFs are unknown and thus, they are not within the scope of this study. To emulate this condition, we allow retailers' OFs to adopt random values. These values fall within an upper and a lower bound representing extreme values of the factors (*UB* and *LB*, respectively), with a uniform probability (Table 1). Bounds are chosen according to values typically adopted in other studies on SC dynamics. In particular, the *UB* values employed can be found in Chatfield et al. (2013), Costantino et al. (2014) and Dominguez et al. (2017). *LB* is obtained by reducing the *UB* for each OF.

Retailers' Operational factors.		
Retailers' Operational Factors (OFs)	LB	UB
Demand variance $(\sigma^2_{DC_i})$	10 ²	20^{2}
Forecasting period (τ_{ij})	5	15
Lead time average $(\mu_{L_{ij}})$	2	4

In order to test the performance of the OVAP strategy under different scenarios, we distinguish between different levels of retailer heterogeneity (i.e., how different are retailers among themselves). Note that retailers are heterogeneous because they have different OFs. Since retailers' OFs are assumed to be unknown to the upstream members of the SC, we adopt the retailers' order pattern as an indicator of the levels of retailer heterogeneity. In fact, retailers' OFs have a direct impact on retailers' order policy and thus, on how retailers place orders in each period (i.e., retailers' order variability). Thus retailers' order variability can be seen as a consequence of retailers' internal policies and operational environment. In this sense, we assume that retailers with similar order policies will react similarly to the environment (e.g., to market demand changes, lead times, etc.) and thus, if they also operate in a similar environment, they will place orders similarly. On the contrary, we assume that, if these retailers operate in different markets and/or with different lead times and/or they have different order policies, they will place orders adopting different rules. As such, we adopt the retailers' order pattern as an approximation to the levels of retailer heterogeneity.

On the basis of the above observations, we define the levels of retailer heterogeneity (ψ) as the coefficient of variation of retailers' order variance c. v. $(s_{O_{tr}}^2)$ (Eq. (7)) in the scenario of No IS (NIS), i.e., traditional SC. A high value of ψ means that retailers are ordering with significantly different variance and thus, we consider that they are (strongly) heterogeneous. A low value of ψ means that retailers are ordering with similar variance, and thus we assume that retailers are (weakly) heterogeneous. Finally, if $\psi = 0$, retailers place orders with identical variance and they can be considered homogeneous for the upstream SC.

$$\psi = c. v. (s_{O_{E_j}}^2) = \frac{StdDev(s_{O_{E_j}}^2)}{Average(s_{O_{E_j}}^2)} = \frac{\sqrt{\frac{\sum_{j=1}^{N_E} (s_{O_{E_j}}^2 - \overline{s_{O_{E_j}}^2})^2}{N_E}}}{\frac{N_E}{s_{O_{E_j}}^2}} \quad \forall j = 1, \dots, N_E$$
(7)

 ψ is based on retailers' order patterns ($s_{O_{Fi}^2}^2$), and thus it is a consequence of retailers' internal policies and operational environment (i.e., the OFs). Hence, this indicator can be used to characterize the levels of retailer heterogeneity in SCs where retailers' OFs are not known in advance. However, ψ does not give detailed information on how retailers' order variances are distributed. In fact, similar values of ψ can be obtained using different combinations of retailers' order variances. As a consequence, we do not perform the analysis based on individual SCs; instead, we distinguish between classes of SCs with significantly different values of ψ (i.e., low and high values) and test the implementation strategies – at an aggregate level – in such classes. To do so, we perform the following steps:

- 1. Generate a sample of 150 random SCs. SCs are instances of the model presented in Section 2, with the retailers' OFs randomly generated according to values shown in Table 1. As a result, each SC is randomly generated.
- 2. Simulate all the 150 SCs under the NIS scenario and compute ψ for each of them, obtaining the following minimum and maximum values: $\psi_{min} = 0.028$ and $\psi_{max} = 0.802$.
- 3. In order to differentiate between SCs with two different levels of ψ , we:
 - a. Divide the interval between ψ_{min} and ψ_{max} in three identical parts (*i.e.*, SCs with low, medium and high levels of ψ), namely $\psi_{t,i}$, ψ_M , and ψ_H , as shown in Table 2.
 - b. Build a test-bed of SCs by considering 15 SCs in each of the two extreme classes of SCs, *i.e.*, ψ_L and ψ_H . Table 3 reports ψ values for all of the SCs under analysis.

3.2. Determination of model parameters

Model parameters, which are common for all SC nodes - summarised in Table 4 - are chosen as usual values used in SC dynamics literature (see, e.g., Chatfield, 2013; Costantino et al., 2014; Dominguez et al., 2015a). Demand average and variance are not applicable to the upstream members of the SC (indicated as N.A. in Table 4). Some of the parameters of retailers coincide with the retailer's OFs (indicated as OF in Table 4).

3.3. Determination of SC performance metrics

Due to the high number of different SCs to be analysed (see Section 3.4), we adopt system level performance metrics. By doing so, we are able to compute the global performance of the SC instead of computing echelons' performance individually, thus allowing an easy comparison between different SCs (Cannella et al., 2017). The adopted performance metrics are the Bullwhip Slope (BwSl), to measure the global bullwhip effect of the SC, and the Inventory Average (InvAv), to measure the total average inventory of the SC (Cannella et al., 2013).

BwSl is computed as in Eq. (8), where $ORVrR_i$ is the Order Variance Ratio in echelon i (Chen et al., 2000), which is calculated as

Table 2 Range of ψ values obtained for the sample of 150 SCs.										
	ψ_L	ψ_M	ψ_{H}							
Lower bound	0.028	0.286	0.544							
Upper bound	0.286	0.544	0.802							

Table 2

Table 3

 ψ values for the test-bed of SCs.

ψ_L	SC1	SC2	SC3	SC4	SC5	SC6	SC7	SC8	SC9	SC10	SC11	SC12	SC13	SC14	SC15
	0.171	0.118	0.224	0.028	0.239	0.272	0.270	0.196	0.155	0.268	0.208	0.171	0.124	0.156	0.044
ψ_H	SC16	SC17	SC18	SC19	SC20	SC21	SC22	SC23	SC24	SC25	SC26	SC27	SC28	SC29	SC30
	0.546	0.780	0.550	0.619	0.589	0.544	0.547	0.752	0.802	0.569	0.568	0.569	0.575	0.671	0.660

Table 4		
Summary	of	m

ummary	of	model	parameters.	
--------	----	-------	-------------	--

Model parameters	Retailers	Upstream members
Demand average $(\mu_{D_{C_i}})$	50	N.A.
Demand variance $(\sigma_{DC_i}^2)$	OF	N.A.
Lead time average $(\mu_{L_{ii}})$	OF	4
Lead time c.v.	0.50	0.50
Forecasting period (τ_{ij})	OF	15
Safety factor (z)	2 (service 97.72%)	2 (service 97.72%)

 $ORVrR_i = (\sum_{j=1}^{N_i} s_{O_{i_i}}^2)/(\sum_{j=1}^{N_C} s_{D_{C_i}}^2)$ for divergent SCs (Dominguez et al., 2015b), N_C is the number of customers in the SC, π_i is the position of the *i*-th echelon in Dejonckheere's et al. curve, and T is the total simulation time. InvAv is computed as the average inventory held by all members of the SC over the observation period (Cannella et al., 2013), as per Eq. (9).

$$BwSl = \frac{E\sum_{i=1}^{E} \pi_i ORVrR_i - \sum_{i=1}^{E} \pi_i \sum_{i=1}^{E} ORVrR_i}{E\sum_{i=1}^{E} \pi_i^2 - (\sum_{i=1}^{E} \pi_i)^2}$$
(8)
$$InvAv = \frac{\sum_{i=1}^{E} \sum_{j=1}^{N_i} \sum_{t=1}^{T} I_{ij}^t}{T}$$
(9)

In order to benchmark two different IS implementation strategies (e.g., Strategy 1 and Strategy 2), we use the percentage increase of SC performance obtained by the Strategy_2 over the Strategy_1 ($\Delta metric_{Strategy,1} \rightarrow Strategy,2$ (%)), where *metric* can be either *BwSl* or *InvAv* (Eq. (10)).

$$\Delta metric_{Strategy,1 \to Strategy,2}(\%) = \frac{(metric_{Strategy,1} - metric_{Strategy,2})}{metric_{Strategy,1}} *100$$
(10)

3.4. Determination of the information sharing structures

Т

Let $\sum_{j=1}^{N_E} \delta_{Ej}$ be the degree of retailer collaboration (*i.e.*, the number of retailers sharing information). For the SCs under analysis, the possible IS structures range from *NIS* with $\sum_{j=1}^{4} \delta_{4j} = 0$ to Full IS (*FIS*) with $\sum_{j=1}^{4} \delta_{4j} = 4$. Between *NIS* and *FIS* are the partial IS structures, with $\sum_{i=1}^{4} \delta_{4i} \in [1,3]$, namely *1RIS*, *2RIS*, and *3RIS*. Since retailers are heterogeneous, under partial IS we need to distinguish all the possible combinations of retailers for each IS structure, *e.g.*, a *2RIS* structure defined by $\delta_{Ej} = [1,1,0,0]$ (named *2RIS*₁₂) is different than a 2RIS structure defined by $\delta_{Ej} = [0,1,1,0]$ (named 2RIS₂₃). A summary of all IS structures is provided in Table 5.

Table 5			
Summary	of IS	structures.	

Type of IS	Degree of retailer collaboration	IS structure	Specific IS structure
No IS	$\sum_{j=1}^4 \delta_{4j} = 0$	NIS	N.A.
Partial IS	$\sum_{j=1}^4 \delta_{4j} = 1$	1RIS	1RIS ₁ , 1RIS ₂ , 1RIS ₃ , 1RIS ₄
	$\sum_{j=1}^{4} \delta_{4j} = 2$	2RIS	$2RIS_{12}, 2RIS_{13}, 2RIS_{14}, 2RIS_{22}, 2RIS_{23}, 2RIS_{24}, 2RIS_{34}$
	$\sum_{j=1}^{4} \delta_{4j} = 3$	3RIS	3RIS ₁₂₃ , 3RIS ₁₂₄ , 3RIS ₁₃₄ , 3RIS ₂₃₄
Full IS	$\sum_{j=1}^4 \delta_{4j} = 4$	FIS	N.A.

Table 6 Summary of DoF

SCs	OVAP		BEST & WORST				
	IS structures	Required Information	IS structures	Required Information			
ψ_L : SC1- > SC15 ψ_H : SC16- > SC30	$\sum_{j=1}^4 \delta_{4j} = 0$	$s^2_{O^T_{4j}}$	$\sum_{j=1}^4 \delta_{4j} = 0 ightarrow 4$	BwSl & InvAv			

3.5. Definition of the benchmarking strategies: BEST and WORST

Two theoretical strategies, namely BEST and WORST, are used for benchmarking. These are "post-assessment" IS strategies, since they are determined after the assessment of the performance of all the partial IS structures. In particular, for a given performance *metric* (*i.e.*, *BwSl* or *InvAv*), BEST (WORST) is obtained by selecting the retailers who provide the best (worst) SC performance improvement for each partial IS structure, as follows:

- 1. For *1RIS*, select the best (worst) of four retailers, *i.e.*, select the specific IS structure (*1RIS*_x) that obtains the lowest (highest) value of *metric* (best (worst) performance). We denote such IS structure by *1RIS*_x.
- 2. For 2RIS, select the best (worst) of the three remaining retailers, *i.e.*, select the specific IS structure $(2RIS_{x'y})$, with $y \neq x'$) that obtains the lowest (highest) value of *metric*. We denote such IS structure by $2RIS_{x'y'}$.
- 3. For *3RIS*, select the best (worst) of the two remaining retailers, *i.e.*, select the specific IS structure $(3RIS_{x'y'z}; z \neq x',y')$ that obtains the lowest (highest) value of *metric*. We denote such IS structure by $3RIS_{x'y'z'}$.
- The BEST (WORST) IS implementation strategy, which select the best (worst) retailers for each partial IS structure, is given by: [1RIS_{x'}, 2RIS_{x'y'}, 3RIS_{x'y'z'}].

A summary of the DoE is presented in Table 6. We run a total of 16 IS structures (Table 5) on 30 SCs (Table 3), totalling 480 experiments. In order to account for randomness, we run 30 replications of each experiment (Cannella et al., 2017; Chatfield et al., 2004) and the simulation outputs are statistically analysed. To ensure a steady state of the system we set the simulation time to 4000 periods, and to eliminate system's initialization effects we remove the first 1000 periods as a warm-up time.

4. Analysis and results

The results are presented in two sections in line with the research objectives presented in Section 1.2:

- 1. BEST vs WORST: First we analyse the performance obtained when the best and the worst decisions regarding the retailers are selected for the different partial IS structures (*1RIS*, *2RIS*, *3RIS*). As discussed before, our first research objective is to study whether the specific strategy for IS adopted is relevant in terms of SC performance.
- 2. OVAP: This analysis aims at comparing the results obtained by OVAP with those obtained by BEST and WORST. Obviously, OVAP cannot outperform the post-assessment BEST but, if the differences are small, then it could be concluded that OVAP is able to capture most of the benefits of the BEST while being a pre-assessment strategy.

4.1. Determining the relevance of the adopted IS implementation strategy on a SC with heterogeneous retailers: BEST vs WORST

Fig. 2 shows average values obtained for *BwSl* and *InvAv* adopting the BEST and WORST strategies from *NIS* to *FIS*. Along with the averages, 95% confidence intervals (CIs) are also plotted. Since we cannot present graphics for all the analysed SCs, we present some exemplary results obtained for 4 out of 30 SCs (2 SCs belonging to ψ_L and the other 2 SCs belonging to ψ_H). Curves show a decreasing function on the degree of retailer collaboration: as the degree of retailer collaboration increases, the SC performance improves. This result does not depend on the strategy adopted, as the improvement is observed for both BEST and WORST. However, the shape of the curves obtained are different, being convex for BEST and concave for WORST. Since both curves share common start and end points, these results suggest that a better SC performance is obtained if a partial IS structure is configured according to the BEST strategy.

To confirm the above results we look at the CIs. Results obtained for *BwSl* show very tight CIs (*i.e.*, CIs are very close to the averages), thus suggesting that there are significant *BwSl* differences between BEST and WORST for each partial IS structure and for both ψ_L and ψ_H . Nevertheless, these differences are more important for SCs in ψ_H (*i.e.*, SC17 and SC21). Results obtained for *InvAv* show wider CIs. For this metric, results suggest that there are significant differences between BEST and WORST only for the SCs in ψ_H . For the SCs in ψ_L , these differences are lower, obtaining some overlapping of CIs for SC3.

In order to contrast these preliminary results, we take into consideration the full test-bed of SCs. As a first step, we calculate 95% CIs to verify the robustness of the results obtained for *BwSl* and *InvAv* and check for significant difference between BEST and WORST for each partial IS structure. Table 7 shows a summary of results for all the scenarios (*i.e.*, 30 SCs \times 3 partial IS structures = 90 scenarios) and both metrics.

Results suggest that there are significant differences between BEST and WORST for all the scenarios in ψ_H for both metrics.




Fig. 2. BwSl and InvAv for BEST and WORST strategies.

However, as the heterogeneity of retailers decreases (ψ_L), there are some scenarios where these differences are not significant. In fact, it seems logical that the variation of retailers' order variance in these scenarios is low and, as a consequence, the choice between BEST or WORST strategies does not make a big difference in terms of improving SC performance. Hence, the averages metrics for BEST and WORST are relatively close. This fact is represented in Table 7 by the higher number of scenarios where the results obtained by the different strategies showed overlapping CIs. More specifically, we found overlapping CIs in 13.33% (*BwSl*) and 57.78% (*InvAv*) of the scenarios with ψ_L .

In order to quantify the impact of the adopted IS strategy on SC performance, we compare the performance obtained by the two

Table 7

Summary of the significance of the results obtained for BEST and WORST (95% CI).

*: signifi	cant	BwSl			% stat. Sig.	InvAv			% stat. Sig	
X: not sig	gnificant	1RIS 2RIS 3RIS			1RIS	2RIS	3RIS			
ψ_L	SC1	*	*	*	86.67%	*	Х	Х	42.22%	
	SC2	*	*	*		Х	Х	Х		
	SC3	*	*	*		Х	*	Х		
	SC4	Х	Х	Х		Х	х	Х		
	SC5	*	*	*		*	х	*		
	SC6	*	*	*		*	*	*		
	SC7	*	*	*		*	х	*		
	SC8	*	*	*		*	*	Х		
	SC9	*	*	*		Х	*	Х		
	SC10	*	*	*		Х	*	*		
	SC11	Х	Х	*		Х	х	Х		
	SC12	*	*	*		Х	х	*		
	SC13	*	*	*		*	Х	Х		
	SC14	*	*	*		*	*	*		
	SC15	х	*	*		Х	Х	Х		
ψ_H	SC16-SC30	*	*	*	100%	*	*	*	100%	

extreme IS implementation strategies BEST and WORST, computing $\Delta BwSl_{WORST \rightarrow BEST}(\%)$ and $\Delta InvAv_{WORST \rightarrow BEST}(\%)$ for all the SCs and partial IS structures. Table 8 shows the average results obtained from all the replications. Additionally, average values are shown for each SC (averaged for the three partial IS structures) as well as for each partial IS structure (averaged for all the SCs). 95% CIs are computed for each partial IS structure.

For the SCs with ψ_L , results show an overall increase in *BwSl* of 9.76%, and an overall increase of *InvAv* 3.75%, which are rather low figures that confirm the results in Table 7 for *InvAv*. However, performance differences are more relevant for the set of SCs in ψ_H , showing an overall increase in *BwSl* of 27.28%, and in *InvAv* of 7.96%. Finally, for each partial IS structure, 95% CIs suggest that differences between WORST and BEST are significantly higher for SCs in ψ_H than for SCs in ψ_L . On the basis on these observations, we formalise the following finding:

 The IS implementation strategy adopted in a SC with heterogeneous retailers has a significant impact in terms of overall bullwhip effect and inventories.

Table 8

Relative SC performance improvement between WORST and BEST.

	ψ_L									ψ_H							
	$\Delta BwSl_W$	VORST→BE	ST(%)		$\Delta InvAu$	WORST→I	BEST (%)			$\Delta BwSl_{WORST \rightarrow BEST}(\%)$				$\Delta InvAv_{WORST \rightarrow BEST}(\%)$			
	1RIS	2RIS	3RIS	Ave.	1RIS	2RIS	3RIS	Ave.		1RIS	2RIS	3RIS	Ave.	1RIS	2RIS	3RIS	Ave.
SC1	5.67	7.67	8.18	7.17	4.06	3.15	2.18	3.13	SC16	20.01	23.66	25.98	23.22	6.74	7.90	8.27	7.64
SC2	5.91	5.04	9.37	6.77	4.69	1.85	3.15	9.90	SC17	28.03	36.73	36.78	33.84	8.24	9.56	9.53	9.11
SC3	8.72	15.73	12.78	12.41	3.01	4.93	1.96	3.30	SC18	15.51	31.24	27.45	24.73	5.58	11.47	9.13	8.73
SC4	2.97	2.01	0.83	1.94	3.61	1.74	1.79	2.38	SC19	19.26	29.68	33.84	27.59	6.37	10.92	10.98	9.43
SC5	7.29	10.49	15.83	11.21	4.06	2.90	3.78	3.58	SC20	17.23	31.54	27.67	25.48	5.06	7.66	7.59	6.77
SC6	12.15	17.21	19.26	16.21	4.24	5.87	5.91	5.34	SC21	18.50	32.12	28.16	26.26	5.29	8.29	6.39	6.66
SC7	8.42	12.44	12.63	11.16	3.48	2.70	3.31	3.17	SC22	21.11	30.67	27.48	26.42	5.19	9.32	4.54	6.35
SC8	12.91	14.73	14.87	14.17	6.23	6.09	3.16	5.16	SC23	26.02	35.56	37.02	32.87	8.85	9.95	10.94	9.91
SC9	8.57	15.59	12.44	12.20	2.17	5.35	2.66	3.39	SC24	29.75	34.82	38.65	34.41	10.52	9.80	9.50	9.94
SC10	10.64	15.32	17.25	14.40	2.49	3.86	3.94	3.43	SC25	18.17	28.23	25.40	23.93	5.29	6.79	6.50	6.19
SC11	3.30	2.97	5.47	3.91	2.86	2.22	1.25	2.11	SC26	20.19	24.87	31.04	25.37	6.39	8.71	8.44	7.85
SC12	5.17	12.35	9.93	9.15	1.51	0.00	4.68	2.06	SC27	17.77	24.50	27.00	23.09	6.54	9.02	7.88	7.81
SC13	5.43	7.60	8.16	7.06	3.78	1.68	2.30	2.59	SC28	20.78	28.50	29.09	26.12	6.75	7.05	6.35	6.71
SC14	10.12	18.21	13.46	13.93	4.17	5.94	4.23	4.78	SC29	24.08	30.39	31.89	28.79	8.78	8.27	7.57	8.20
SC15	3.46	6.98	3.68	4.70	3.22	0.29	2.22	1.91	SC30	19.82	27.88	33.43	27.04	6.12	9.11	8.94	8.05
Ave.	7.38	10.96	10.94	9.76	3.57	3.24	3.10	3.75	Ave.	21.08	30.03	30.73	27.28	6.78	8.92	8.17	7.96
95%CI	8.99	13.63	13.53	11.95	4.15	4.26	3.73	4.77	95%CI	23.16	32.01	32.92	29.14	7.60	9.59	9.07	8.60
	5.78	8.28	8.35	7.57	3.00	2.21	2.47	2.73		19.01	28.04	28.54	25.42	5.96	8.25	7.27	7.32

Table 9

Relative SC performance differences between OVAP and BEST.

	ψ_L							ψ_H					
	$\Delta BwSl_{OV}$	$VAP \rightarrow BEST(\%)$		$\Delta InvAv_{OVAP \rightarrow BEST}(\%)$				$\Delta BwSl_{OV}$	$VAP \rightarrow BEST(\%)$)	$\Delta InvAv_{OVAP \rightarrow BEST}(\%)$		
	1RIS	2RIS	3RIS	1RIS	2RIS	3RIS		1RIS	2RIS	3RIS	1RIS	2RIS	3RIS
SC1	0.84	0.55	1.01	0.46	0.53	0.61	SC16	0.00	1.99	0.00	0.00	1.27	0.73
SC2	5.34	0.00	0.00	4.25	1.85	0.00	SC17	0.00	0.00	1.75	0.00	0.00	2.57
SC3	0.00	0.00	0.00	0.00	0.00	0.00	SC18	0.00	0.00	0.00	0.00	0.00	0.00
SC4	0.83	2.20	1.01	0.64	0.68	0.64	SC19	0.00	0.00	0.00	0.00	0.13	0.00
SC5	0.00	0.68	0.00	0.00	0.22	0.00	SC20	0.00	0.00	0.00	0.00	0.00	0.00
SC6	3.46	0.00	0.00	2.77	0.00	0.00	SC21	0.00	0.00	0.00	0.00	0.00	0.00
SC7	0.00	0.00	1.89	0.00	0.00	0.00	SC22	0.00	0.00	0.00	0.00	0.00	1.19
SC8	0.00	2.50	0.00	0.00	4.14	0.00	SC23	0.00	0.00	0.00	0.00	0.00	0.00
SC9	5.67	0.00	0.00	0.40	0.00	0.00	SC24	0.00	3.84	0.00	0.00	0.00	0.00
SC10	0.00	0.00	0.00	0.66	0.00	0.00	SC25	0.00	0.00	0.00	0.00	0.00	2.13
SC11	1.33	2.66	3.18	1.14	0.21	0.50	SC26	0.00	0.00	0.00	0.00	0.00	0.00
SC12	0.00	0.00	0.00	1.51	1.77	4.34	SC27	0.00	0.00	0.00	0.00	0.00	0.00
SC13	3.04	0.00	0.00	3.78	0.55	0.38	SC28	0.00	0.00	0.00	0.00	0.00	0.00
SC14	1.25	0.00	0.00	0.20	0.00	0.00	SC29	0.00	0.00	0.00	0.00	0.00	1.12
SC15	0.00	1.35	1.47	0.00	0.00	2.36	SC30	0.00	0.00	0.00	0.00	0.00	0.00

4.2. Testing the performance of OVAP

In this section we test the performance of the proposed IS strategy (OVAP) by comparing its performance with that of BEST and WORST. We first benchmark OVAP vs BEST. Table 9 shows numeric results ($\Delta metric_{OVAP \rightarrow BEST}(\%)$) for all 30 SCs.

For SCs in ψ_L , OVAP does not equal BEST, as we observe perfect matches in 57.78% and 46.67% of the scenarios for *BwSl* and *InvAv*, respectively. In these scenarios, the observed differences oscillate between [0.55% – 5.67%] for *BwSl* and between [0.2% – 4.34%] for *InvAv*. On SCs in ψ_H , OVAP is similar to BEST in 93.33% and 84.44% of the scenarios for *BwSl* and *InvAv*, respectively. For the instances where OVAP does not match BEST perfectly, the observed differences oscillate between [1.75% – 3.84%] for *BwSl* and between [0.13% – 2.57%] for *InvAv*. Thus, we can conclude that OVAP is able to obtain results that are very close to those obtained by BEST, particularly for SCs in ψ_H . As a consequence, the results obtained for $\Delta BwSl_{WORST \to OVAP}(\%)$ and $\Delta InvAv_{WORST \to OVAP}(\%)$ (Table 10) are very similar to those obtained for $\Delta BwSl_{WORST \to BEST}(\%)$ (Table 8).

These findings can be summarised as follows:

- (2) The OVAP strategy to involve heterogeneous retailers into a partial IS structure (i.e., prioritizing those retailers with larger order's variance) performs, according to the levels of retailer heterogeneity,
 - a. (ψ_H) similar (or very close) to BEST in 93.33% (BwSl) and 84.44% (InvAv) of the analysed scenarios.
 - b. (ψ_1) similar (or very close) to BEST in 57.78% (BwSl) and 46.67% (InvAv) of the analysed scenarios.
- (3) The OVAP strategy may obtain bullwhip and inventory reductions of
 - a. $(\psi_H) \sim 27.2\%$ and $\sim 7.8\%$, respectively, with respect to the values obtained by WORST.
 - b. $(\psi_1) \sim 9.1\%$ and $\sim 2.7\%$, respectively, with respect to the values obtained by WORST.

In order to get further insights on the adoption of the OVAP strategy, we measure its efficiency by comparing the performance improvement obtained by a partial IS structure (*#RIS*) with that of a *FIS*, as per Eq. (11). The behaviour of OVAP can be seen by plotting the function $f = (#RIS, \Delta metric_{#RIS/FIS}(\%))$. In Fig. 3 we plot *f* for OVAP and WORST, averaging the results obtained for the 15 SCs of each set (ψ_L and ψ_H) and showing the 95% CIs.

Table 10			
Relative SC performance differences h	between O	VAP and	WORST.

	ψ_L									ψ_{H}							
	$\Delta BwSl_{WORST \rightarrow OVAP}(\%)$				$\Delta InvAv_{WORST \rightarrow OVAP}(\%)$				$\Delta BwSl_{WORST \rightarrow OVAP}(\%)$			$\Delta InvAv_{WORST \rightarrow OVAP}(\%)$					
	1RIS	2RIS	3RIS	Ave.	1RIS	2RIS	3RIS	Ave.		1RIS	2RIS	3RIS	Ave.	1RIS	2RIS	3RIS	Ave.
Ave.	5.98	10.67	10.65	9.10	2.50	2.84	2.60	2.65	Ave.	21.08	29.75	30.65	27.16	6.78	8.83	7.68	7.77
95%CI	7.85 4.11	13.39 7.95	13.38 7.92	11.35 6.86	3.39 1.61	3.83 1.85	3.42 1.78	3.32 1.98	95%CI	23.16 19.00	31.75 27.75	32.79 28.51	28.96 25.36	7.60 5.96	9.54 8.12	8.75 6.61	8.45 7.09




Fig. 3. $\Delta BwSl_{\#RIS/FIS}(\%)$ and $\Delta InvAv_{\#RIS/FIS}(\%)$ for OVAP and WORST.

$$\Delta metric_{\#RIS/FIS}(\%) = \frac{(metric_{RIS} - metric_{\#RIS})}{(metric_{RIS} - metric_{\#IS})} *100$$
(11)

For SCs with ψ_{H} , OVAP shows an increasing concave function of the degree of retailer collaboration, while WORST shows an increasing convex function. Hence, since both curves share common start and end points, OVAP obtains most of the benefits provided by *FIS* with a low degree of retailer collaboration, while WORST performs clearly worse than *FIS* for any degree of retailer collaboration. In fact, a *1RIS* structure determined according to OVAP is able to achieve an average 44% (57.1%) of the total *BwSl (InvAv)* reduction provided by a *FIS*, while a similar structure selected according to WORST is only able to achieve an average 6.9% (16%) of the total *BwSl (InvAv)* reduction provided by a *FIS*. Similarly, a *3RIS* structure according to WORST does not provide benefits provided by a *FIS* (around 86% for both *BwSl* and *InvAv*), while a similar structure according to WORST does not provide more than 42% of the benefits of a *FIS*.

For SCs with ψ_L , OVAP shows an increasing quasi-linear function for *BwSl*, which is reasonable, since retailers are quite similar. However, WORST still performs significantly worse than OVAP, showing an increasing convex function. *InvAv* shows overlapping results, as foreseeable from the results shown in Table 7. As a summary, we can conclude the following:

- (4) The partial IS structure defined by OVAP in a SC with highly heterogeneous retailers performs only marginally worse than the FIS in terms of BwSl and InvAv, which may not be the case for other partial IS structures.
- (5) For a SC where retailers are slightly heterogeneous, the partial IS structure defined by OVAP performs proportional to the FIS (according to the number of retailers involved) in terms of BwSl, which may not be the case for other partial IS structures.

5. Industrial recommendations and concluding remarks

5.1. Industrial recommendations

The results in the previous section show that the strategy selected for retailers' adoption of IS is key to improve SC performance. This strategy is particularly relevant when retailers are highly heterogeneous (*i.e.*, they have different operational configurations and/or customer demand). Conversely, a bad strategy may undermine investments in technology and efforts to establish

collaboration practices due to the poor results obtained. Therefore, the strategy to incorporate retailers in IS needs to be carefully designed.

A first step for this design is to assess the heterogeneity of the retailers in the SC. Prior to implementing IS, information about retailers' demand (and other operational features such as the forecasting period or lead times) are unknown to SC managers, as they only have information about retailers' orders. As such, a way to assess the heterogeneity of retailers is to compute the coefficient of variation of retailers' order variance, as described in Section 3.3. This single measure provides a simple indicator to estimate the levels of retailer heterogeneity, since it does not require obtaining and analysing a high amount of information from retailers.

If retailers show a high levels of heterogeneity, managers may adopt the OVAP strategy, *i.e.* selecting the retailers with higher order variance to be first included in the IS strategy. This strategy has been shown to achieve the highest bullwhip and inventory reduction for most scenarios analysed (*i.e.*, ~93% for bullwhip and ~84% for inventory). In addition, a partial IS structure implemented using the OVAP strategy is able to achieve a sizeable part of the total benefits from full IS: *i.e.* including just one of the four retailers in IS captures around 50% of the total benefits of full IS both in terms of bullwhip effect and average inventory reduction; by including an additional retailer these benefits rise up to around 70%. These results provide further insights for conducting a trade-off analysis for determining the target number of collaborative retailers. More specifically, by assuming a linear increase of costs with the number of retailers involved in IS, a cost/benefit analysis may show, counterintuitively, that, in some cases, a partial IS structure is more beneficial than a full IS structure.

In summary, for a partial IS structure with a given number of collaborating retailers, OVAP presents the following advantages: (1) it exhibits a good exploitation of IS capability, providing a strategy to incorporate new retailers in the IS scheme by selecting those with the highest performance improvement; (2) only one type of information is required to prioritize retailers, removing the need of balancing different types of information and thus simplifying the process of selecting partners for IS.

5.2. Concluding remarks

This work analyses issues related to the implementation of the information sharing practice on heterogeneous retailers (*i.e.*, they may have different operational configurations and/or customer demand, thus producing different order patterns) when only a partial collaboration can be achieved (*i.e.*, due to several barriers only some retailers are going to share information upstream). Since retailers are heterogeneous, the benefits achieved by information sharing may depend critically on the specific retailers that are involved and thus, the strategy adopted to include retailers in the information sharing scheme may have a significant impact on supply chain performance. Therefore, it is important to determine the impact of the adopted strategy on supply chain performance in order to implement information sharing at retailers, and to devise a strategy to share information with the retailers who potentially provide the highest performance improvement, considering that upstream members often lack of visibility on retailers' internal processes and policies. To this aim, we propose to adopt a strategy based on retailers' order variance (OVAP) (*i.e.*, retailers with higher order variance are potentially better partners for information sharing) and to quantify the benefits of adopting such strategy in terms of bullwhip and average inventory reductions.

To accomplish the research objectives, we build a four echelon supply chain model with four retailers using SCOPE (a Multi-Agent based simulation tool), to analyse different partial IS scenarios at retailers. We generate a test-bed of 30 different SCs where retailers are heterogeneous (*i.e.*, they have different market demands, lead times and forecasting period). We adopt the coefficient of variation of retailers' order variance as a measure of the levels of retailer heterogeneity. Finally, we use two benchmarking strategies, *i.e.*, BEST and WORST. The former takes use of the results obtained from the simulations to identify and select the retailers who provide the best performance for the whole SC; similarly, the latter selects the retailers who provide the worst performance for the whole supply chain.

Results show that the adopted strategy to implement information sharing at retailers has a significant impact on supply chain performance, particularly for highly heterogeneous retailers. The proposed strategy OVAP performs almost identically to BEST (93.33% (Bullwhip Slope) and 84.44% (Systemic Inventory Level) of the analysed scenarios) for highly heterogeneous retailers, obtaining an average (\sim 27.2%) bullwhip and (\sim 7.8%) inventory improvement over WORST. Thus, adopting the OVAP strategy to involve retailers in information sharing ensures exploitation of information sharing capability with heterogeneous retailers without the need of prior access to retailers' private information.

The present study has some limitations that may open room for future research. First of all, the number of retailers was fixed. A higher number of retailers may reduce the levels of retailer heterogeneity under the boundary conditions. How is the number of retailers related to the levels of retailer heterogeneity? In addition, due to the inherent complexity of the problem under analysis, the study has been limited to the implementation of information sharing at retailers. It would be of interest to extend this research to other echelons of the chain, *e.g.*, is the strategy adopted to implement information sharing at heterogeneous wholesalers also relevant to supply chain performance? How important is wholesaler heterogeneity for information sharing? Is OVAP also efficient at upstream echelons of the chain? How does the downstream supply chain/information sharing structure impact on the implementation of partial information sharing in the supply chain as a whole (*i.e.*, considering all echelons and all nodes) with heterogeneous members, and study the interactions that may arise between the different echelons. Naturally, in this type of analysis the structure of the supply chain may also play an important role.

Acknowledgements

This research was supported by the Portuguese Foundation for Science and Technology (Grant SFRH/BPD/108491/2015), by the Italian Ministry of Education, University and Research (Rita Levi Montalcini fellow), and by the Spanish Ministry of Science and Innovation, under the project PROMISE with reference DPI201680750P.

References

Ali, M.M., Boylan, J.E., Syntetos, A.A., 2012. Forecast errors and inventory performance under forecast information sharing. Int. J. Forecast. 28 (4), 830-841.

- Ali, M.M., Babai, M.Z., Boylan, J.E., Syntetos, A.A., 2017. Supply chain forecasting when information is not shared. Eur. J. Oper. Res. 260 (3), 984–994.
- Babai, M.Z., Boylan, J.E., Syntetos, A.A., Ali, M.M., 2016. Reduction of the value of information sharing as demand becomes strongly auto-correlated. Int. J. Prod. Econ. 181, 130–135.
- Bischak, D.P., Robb, D.J., Silver, E.A., Blackburn, J.D., 2014. Analysis and management of periodic review, Order-Up-To level inventory systems with order crossover. Prod. Oper. Manage. 23 (5), 762–772.
- Cannella, S., Barbosa-Povoa, A.P., Framinan, J.M., Relvas, S., 2013. Metrics for bullwhip effect analysis. J. Oper. Res. Soc. 64, 1–16.
- Cannella, S., Framinan, J.M., Bruccoleri, M., Barbosa-Póvoa, A.P., Relvas, S., 2015. The effect of inventory record inaccuracy in information exchange supply chains. Eur. J. Oper. Res. 243 (1), 120–129.
- Cannella, S., Dominguez, R., Framinan, J.M., 2017. Inventory record inaccuracy the impact of structural complexity and lead time variability. Omega 68, 123–138. Chaharsooghi, S.K., Heydari, J., 2010. LT variance or LT mean reduction in supply chain management: which one has a higher impact on SC performance? Int. J. Prod. Econ. 124 (2), 475–481.
- Chatfield, D.C., Kim, J.G., Harrison, T.P., Hayya, J.C., 2004. The bullwhip effect impact of stochastic lead time, information quality, and information sharing: a simulation study. Prod. Oper. Manage. 13 (4), 340–353.
- Chatfield, D.C., 2013. Underestimating the bullwhip effect: a simulation study of the decomposability assumption. Int. J. Prod. Res. 51 (1), 230-244.

Chatfield, D.C., Pritchard, A.M., 2013. Returns and the bullwhip effect. Transp. Res. Part E: Logist. Transp. Rev. 49 (1), 159–175.

- Chatfield, D.C., Hayya, J.C., Cook, D.P., 2013. Stockout propagation and amplification in supply chain inventory systems. Int. J. Prod. Res. 51 (5), 1491–1507.
- Chatfield, D.C., Pritchard, A.M., 2017. Incorporating Order Crossover Information into Service-Oriented Base Stock Policy Decisions (July 18, 2017). Available at SSRN: https://ssrn.com/abstract=3006781.
- Chen, F., Drezner, Z., Ryan, J.K., Simchi-Levi, D., 2000. Quantifying the bullwhip effect in a simple supply chain: the impact of forecasting, lead times, and information. Manage. Sci. 46 (3), 436–443.
- Costantino, F., Di Gravio, G., Shaban, A., Tronci, M., 2014. The impact of information sharing and inventory control coordination on supply chain performances. Comput. Ind. Eng. 76, 292–306.
- Costantino, F., Di Gravio, G., Shaban, A., Tronci, M., 2015a. SPC forecasting system to mitigate the bullwhip effect and inventory variance in supply chains. Expert Syst. Appl. 42 (3), 1773–1787.
- Costantino, F., Di Gravio, G., Shaban, A., Tronci, M., 2015b. A real-time SPC inventory replenishment system to improve supply chain performances. Expert Syst. Appl. 42 (3), 1665–1683.
- Costantino, F., Di Gravio, G., Shaban, A., Tronci, M., 2016. Smoothing inventory decision rules in seasonal supply chains. Expert Syst. Appl. 44, 304–319.
- Dejonckheere, J., Disney, S.M., Lambrecht, M.R., Towill, D.R., 2004. The impact of information enrichment on the Bullwhip effect in supply chains: a control engineering perspective. Eur. J. Oper. Res. 153 (3), 727–750.
- Disney, S.M., Maltz, A., Wang, X., Warburton, R.D.H., 2016. Inventory management for stochastic lead times with order crossovers. Eur. J. Oper. Res. 248, 473–486. Dominguez, R., Framinan, J.M., 2013. A decisión management tool: modelling the order fulfilment process by multi-agent systems. Int. J. Manage. Decis. Making 12 (3), 240–258.

Dominguez, R., Cannella, S., Framinan, J.M., 2014. On bullwhip-limiting strategies in divergent supply chain networks. Comput. Ind. Eng. 73 (1), 85–95.

- Dominguez, R., Cannella, S., Framinan, J.M., 2015a. The impact of the supply chain structure on bullwhip effect. Appl. Math. Model. 39 (23-24), 7309-7325.
- Dominguez, R., Cannella, S., Framinan, J.M., 2015b. On returns and network configuration in supply chain dynamics. Transp. Res. Part E: Logist. Transp. Rev. 73, 152–167.
- Dominguez, R., Cannella, S., Barbosa-Povoa, A.P., Framinan, J.M., 2017. Information sharing in supply chains with heterogeneous retailers. Omega. http://dx.doi.org/ 10.1016/j.omega.2017.08.005. (in press).
- Ganesh, M., Raghunathan, S., Rajendran, C., 2014a. Distribution and equitable sharing of value from information sharing within serial supply chains. IEEE Trans. Eng. Manage. 61 (2), 225–236 6573365.
- Ganesh, M., Raghunathan, S., Rajendran, C., 2014b. The value of information sharing in a multi-product, multi-level supply chain: Impact of product substitution, demand correlation, and partial information sharing. Decis. Support Syst. 58 (1), 79–94.
- Gunasekaran, A., Subramanian, N., Papadopoulos, T., 2017. Information technology for competitive advantage within logistics and supply chains: a review. Transp. Res. Part E: Logist. Transp. Rev. 99, 14–33.
- Gunasekaran, A., Subramanian, N., Rahman, S., 2015. Green supply chain collaboration and incentives: current trends and future directions. Transp. Res. Part E: Logist. Transp. Rev. 74, 1–10.
- Gümüş, M., 2014. With or without forecast sharing: competition and credibility under information asymmetry. Prod. Oper. Manage. 23 (10), 1732–1747.
- Hayya, J.C., Bagchi, U., Kim, J.G., Sun, D., 2008. On static stochastic order crossover. Int. J. Prod. Econ. 114 (1), 404-413.
- Hayya, J.C., Bagchi, U., Ramasesh, R., 2011. Cost relationships in stochastic inventory systems: a simulation study of the (S, S-1, t = 1) model. Int. J. Prod. Econ. 130 (2), 196–202.
- Hoberg, K., Thonemann, U.W., 2014. Modeling and analyzing information delays in supply chains using transfer functions. Int. J. Prod. Econ. 156, 132-145.
- Holmstrom, J., Småros, J., Disney, S.M., Towill, D.R., 2016. Collaborative supply chain configurations: the implications for supplier performance in production and inventory control. In: Developments in Logistics and Supply Chain Management. Palgrave Macmillan, UK, pp. 27–37.
- Hosoda, T., Disney, S.M., 2012. A delayed demand supply chain: incentives for upstream players. Omega 40, 478-487.

Huang, B., Iravani, S.M.R., 2005. Production control policies in supply chains with selective-information sharing. Oper. Res. 53 (4), 662–674.

Huang, Y.-S., Li, M.-C., Ho, J.-W., 2016. Determination of the optimal degree of information sharing in a two-echelon supply chain. Int. J. Prod. Res. 54 (5), 1518–1534.

Huang, Y.-S., Hung, J.-S., Ho, J.-W., 2017. A study on information sharing for supply chains with multiple suppliers. Comput. Ind. Eng. 104, 114–123.

- Huang, Y., Wang, Z., 2017. Values of information sharing: a comparison of supplier-remanufacturing and manufacturer-remanufacturing scenarios. Transp. Res. Part E: Logist. Transp. Rev. 106, 20–44.
- Inderfurth, K., Sadrieh, A., Voigt, G., 2013. The impact of information sharing on supply chain performance under asymmetric information. Prod. Oper. Manage. 22 (2), 410–425.
- Jeong, I.-J., Jorge Leon, V., 2012. A serial supply chain of newsvendor problem with safety stocks under complete and partial information sharing. Int. J. Prod. Econ. 135 (1), 412–419.
- Kembro, J., Selviaridis, K., Näslund, D., 2014. Theoretical perspectives on information sharing in supply chains: a systematic literature review and conceptual framework. Supply Chain Manage.: Int. J. 19, 609–625.
- Kembro, J., Selviaridis, K., 2015. Exploring information sharing in the extended supply chain: an interdependence perspective. Supply Chain Manage.: Int. J. 20 (4), 455–470.

- Kim, J.G., Chatfield, D., Harrison, T.P., Hayya, J.C., 2006. Quantifying the bullwhip effect in a supply chain with stochastic lead time. Eur. J. Oper. Res. 173 (2), 617–636.
- Kong, G., Rajagopalan, S., Zhang, H., 2013. Revenue sharing and information leakage in a supply chain. Manage. Sci. 59 (3), 556-572.
- Kwak, J.K., Gavirneni, S., 2015. Impact of information errors on supply chain performance. J. Oper. Res. Soc. 66 (2), 288–298.
- Langroodi, R.R.P., Amiri, M., 2016. A system dynamics modeling approach for a multi-level, multi-product, multi-region supply chain under demand uncertainty. Expert Syst. Appl. 51, 231–244.

Lau, J.S.K., Huang, G.Q., Mak, K.L., 2004. Impact of information sharing on inventory replenishment in divergent supply chains. Int. J. Prod. Res. 42 (5), 919–941. Lee, H.L., Padmanabhan, V., Whang, S., 1997. Information distortion in a Supply Chain: The Bullwhip effect. Manage. Sci. 43 (4), 546–558.

- Lee, H.L., Whang, S., 2000. Information sharing in a supply chain. Int. J. Technol. Manage. 20 (3), 373-387.
- Li, G., Zhang, L., Guan, X., Zheng, J., 2016. Impact of decision sequence on reliability enhancement with supply disruption risks. Transp. Res. Part E: Logist. Transp. Rev. 90, 25–38.
- Li, Q., Disney, S.M., Gaalman, G., 2014. Avoiding the bullwhip effect using Damped Trend forecasting and the Order-Up-To replenishment policy. Int. J. Prod. Econ. 149, 3–16.

Li, Q., Disney, S.M., 2017. Revisiting rescheduling: MRP nervousness and the bullwhip effect. Int. J. Prod. Res. 55 (7), 1992-2012.

- Lin, H.J., 2016. Investing in lead-time variability reduction in a collaborative vendor-buyer supply chain model with stochastic lead time. Comput. Oper. Res. 72, 43-49.
- Long, Q., 2015. Three-dimensional-flow model of agent-based computational experiment for complex supply network evolution. Expert Syst. Appl. 42 (5), 2525–2537.
- Minar, N., Burkhart, R., Langton, C., Askenazi, M., 1996. The Swarm simulation system: a toolkit for building multi-agent simulations. Working Paper 96-06-042, Santa Fe Institute, Santa Fe.
- Niranjan, T.T., Wagner, S.M., Aggarwal, V., 2011. Measuring information distortion in real-world supply chains. Int. J. Prod. Res. 49 (11), 3343–3362.
- Ponte, B., Costas, J., Puche, J., De la Fuente, D., Pino, R., 2016. Holism versus reductionism in supply chain management: an economic analysis. Decis. Support Syst. 86, 83–94.
- Ponte, B., Sierra, E., de la Fuente, D., Lozano, J., 2017. Exploring the interaction of inventory policies across the supply chain: an agent-based approach. Comput. Oper. Res. 78, 335–348.
- Rached, M., Bahroun, Z., Campagne, J.-P., 2015. Assessing the value of information sharing and its impact on the performance of the various partners in supply chains. Comput. Ind. Eng. 88, 237–253.
- Rached, M., Bahroun, Z., Campagne, J.-P., 2016. Decentralised decision-making with information sharing vs. centralised decision-making in supply chains. Int. J. Prod. Res. 54 (24), 7274–7295.
- Ramanathan, U., 2014. Performance of supply chain collaboration a simulation study. Expert Syst. Appl. 41 (1), 210-220.
- Rekik, Y., Glock, C.H., Syntetos, A.A., 2017. Enriching demand forecasts with managerial information to improve inventory replenishment decisions: exploiting judgment and fostering learning. Eur. J. Oper. Res. 261 (1), 182–194.
- Shan, J., Yang, S., Yang, S., Zhang, J., 2014. An empirical study of the bullwhip effect in China. Prod. Oper. Manage. 23 (4), 537-551.
- Shang, W., Ha, A.Y., Tong, S., 2016. Information sharing in a supply chain with a common retailer. Manage. Sci. 62 (1), 245–263.
- Shih, H.P., Lai, K.H., Cheng, T.E., 2015. Examining structural, perceptual, and attitudinal influences on the quality of information sharing in collaborative technology use. Inform. Syst. Front. 17 (2), 455–470.
- Shnaiderman, M., Ouardighi, F.E., 2014. The impact of partial information sharing in a two-echelon supply chain. Oper. Res. Lett. 42 (3), 234–237.
- Spekman, R., Davis, E.W., 2016. The extended enterprise: a decade later. Int. J. Phys. Distrib. Logist. Manage. 46 (1), 43-61.
- Sterman, J., 1989. Modeling managerial behavior: misperceptions of feedback in a dynamic decision making experiment. Manage. Sci. 35 (3), 321-339.
- Syntetos, A.A., Kholidasari, I., Naim, M.M., 2016a. The effects of integrating management judgement into OUT levels: in or out of context? Eur. J. Oper. Res. 249 (3), 853–863
- Syntetos, A., Babai, Z., Boylan, J.E., Kolassa, S., Nikolopoulos, K., 2016b. Supply chain forecasting: theory, practice, their gap and the future. Eur. J. Oper. Res. 252 (1), 1–26.
- Trapero, J.R., Kourentzes, N., Fildes, R., 2012. Impact of information exchange on supplier forecasting performance. Omega 40 (6), 738-747.
- Wan, X., Evers, P.T., 2011. Supply chain networks with multiple retailers: a test of the emerging theory on inventories, stockouts, and bullwhips. J. Bus. Logist. 32 (1), 27–39.
- Wang, X., Disney, S.M., 2016. The bullwhip effect: progress, trends and directions. Eur. J. Oper. Res. 250 (3), 691–701.
- Xu, K., Dong, Y., Xia, Y., 2015. 'Too little' or 'Too late': the timing of supply chain demand collaboration. Eur. J. Oper. Res. 241 (2), 370–380.
- Yu, M.-M., Ting, S.-C., Chen, M.-C., 2010. Evaluating the cross-efficiency of information sharing in supply chains. Expert Syst. Appl. 37 (4), 2891–2897.
- Zhang, H., Lee, C.Y., Li, T., 2016. The value of specific cargo information for substitutable modes of inland transport. Transp. Res. Part E: Logist. Transp. Rev. 85, 23-39.
- Zhou, X., Ma, F., Wang, X., 2009. An incentive model of partial information sharing in supply chain. In: 2009 IEEE/INFORMS International Conference on Service Operations, Logistics and Informatics, SOLI 2009, 5203904, pp. 58–61.
- Zhou, M., Dan, B., Ma, S., Zhang, X., 2017a. Supply chain coordination with information sharing: the informational advantage of GPOs. Eur. J. Oper. Res. 256 (3), 785–802.
- Zhou, L., Naim, M.M., Disney, S.M., 2017b. The impact of product returns and remanufacturing uncertainties on the dynamic performance of a multi-echelon closedloop supply chain. Int. J. Prod. Econ. 183, 487–502.