

Desalination for the Environment

Clean Water and Energy

20–23 June 2022

Las Palmas de Gran Canaria, Las Palmas, Spain

Palacio de Congresos de Canarias

BOOK OF ABSTRACTS

Supported by



Platinum sponsor



المؤسسة العامة لتحلية المياه المالحة
Saline Water Conversion Corporation (SWCC)

Gold sponsors



Silver sponsors



adiquimica



acciona




Be Right™



Making fluid energy work for you™



Media partners



Desalination for the Environment Clean Water and Energy

20–23 June 2022, La Palmas de Gran Canaria, Spain

9	Inside-to-out ultrafiltration membranes for the treatment of wastewater containing powdered activated carbon	
	<i>Denis Vial, Patrick Buchta, Roland Winkler, Peter Berg</i>	1
15	New technology to treat leachate by low pressure reverse osmosis	
	<i>Alexei Pervov, Tatiana Shirkova, Val Frenkel</i>	1
16	Modification of the design of the spiral wound membrane element in order to reduce the linear pressure drop and increase its mechanical strength	
	<i>Viacheslav Dzyubenko, V.D. Kuzin</i>	2
17	Brine recirculation and other high recovery SWRO process innovations utilizing isobaric energy recovery devices	
	<i>Rolando A. Bosleman, Jeremy G. Martin</i>	3
19	Thin film composite polyamide membranes embedded with Acacia gum: performance and antifouling properties	
	<i>Yehia Manawi, Muataz Atieh, Viktor Kochkodan</i>	4
22	Hybrid ceramic membranes for pretreatment of saline water	
	<i>Yehia Manawi, Viktor Kochkodan, Muataz Hussien</i>	5
27	A new process for boron removal in desalination plants using deep eutectic solvents	
	<i>Ghaiath Almustafa, Reyihangu. Sulaiman, I. Adeyemi, Mahendra Kumar, Hassan A. Arafat, Enas Nashef</i>	5
28	Diversifying water supply to increase resilience: The Cape Town experience	
	<i>Gisela Kaiser</i>	6
32	New generation of dissolved air floatation: combination of reliability and boosted performance	
	<i>Caroline Barbe, Delia Pastorelli</i>	7
34	Vasilicos Desalination Plant in Cyprus	
	<i>Aristotelis Komodromos</i>	8
35	Performance analysis of a full-scale SWRO desalination plant	
	<i>A. Ruiz-García, A. Ramos-Martín, F.A. León</i>	9
36	Water production by RO for paint manufacturing in the automotive industry	
	<i>A. Ruiz-García, A. Ramos-Martín, F.A. León</i>	9
37	Low-cost continuous measurement system to learn the relationship between the electrical conductivity “EC” and the temperature “T” in brackish waters	
	<i>A. Ramos-Martín, C. Mendieta, F.A. León</i>	10
38	Proposal to determine the carbon and ecological footprint of seawater reverse osmosis desalination plants considering the energy mix. Case of study for the Canary Islands	
	<i>A. Ramos-Martín, C. Mendieta-Pino, S. Brito-Espino, F.A. León</i>	10
41	Novel spacer designs and spacer surface chemistry modification for reduced scaling in MD	
	<i>N. Thomas, M. Kumar, O. Al-Ketan, R. Alnuaimi, E. Alhseinat, G. Palmisano, R. Rowshan, R. Abu Al-Rub, H. A. Arafat</i>	11
43	The cost of environmental protection in the desalination plants of Alicante	
	<i>Rubén Navarro, José L. Sánchez Lizaso</i>	12
44	Energy analysis of a seawater reverse osmosis (SWRO) desalination system for small marine vessels	
	<i>G. Nicolás Marichal Plasencia, Jorge Camacho, Deivis Ávila Prats, José A. Rodríguez, Felipe San Luis</i>	13

ABSTRACTS — CONTENTS

46	Mitigation of climate change in reverse osmosis desalination process: Gran Canaria practical case <i>B. Del Rio-Gamero, A. Gomez-Gotor, J. Schallenberg-Rodríguez, S. Cabrera del Rosario</i>	13
47	Enzymatic-chemical cleaner formulation for cleaning organic and biological foulants <i>Daniela Vidal, Amit Sankhe, Ryan Furukawa</i>	14
48	Proposal for a simple method for calculating biogas production in natural treatment systems for livestock wastewater <i>Tania Garcia-Ramirez, Alejandro Ramos-Martin, Saulo Brito-Espino, Carlos Mendieta-Pino, F.A. Leon</i>	15
50	Evaluation of the combustion system, in a laboratory scale, for the energy use of the solid from activated sludge treatments of urban wastewater <i>C.A. Mendieta-Pino, V. Henriquez-Concepción, A. Ramos-Martín, J. Waswani-Reboso, F. Romero-Artiles, F.A. Leon</i>	15
51	Estimation of the combustion potential of the solid from livestock wastewater with natural treatment systems <i>C.A. Mendieta-Pino, V. Henriquez-Concepción, A. Ramos-Martín, J. Waswani-Reboso, F. Romero-Artiles, F.A. Leon</i>	16
54	Monitoring of membrane fouling by the zeta potential <i>Thomas Luxbacher, Hermina Buksek, Irena Petrinic</i>	16
55	The use of natural minerals for the replenishment of magnesium into drinking water following desalination <i>Antonella De Luca, Nicholas Charles Nelson, Anthony Bouton, Marcus Fuest</i>	17
57	A comprehensive methodological approach to develop and compare integrated treatment processes for the valorisation of wastewater effluents <i>M. Micari, A. Cipollina, M. Moser, A. Tamburini, G. Micale, V. Bertsch</i>	18
60	Assessment of photovoltaic energy integration in a seawater reverse osmosis desalination plant. Case study of Porto Santo desalination plant (Madeira – Portugal) <i>Elías Jesús Medina Domínguez, Rayco Parra Batista, Jesús Manuel de León Izquier</i>	19
63	Membrane cleaning procedures: performance of commodities vs. formulated cleaners <i>Nuria Peña García, Victoria Velasco, Javier Rodriguez, Fernando delVigo, Max Fazel, Stephen Chesters</i>	20
64	The role of alternative water resources for agricultural irrigation in the Canary Islands <i>Baltasar Peñate Suárez, David Romero Manrique, Violeta Cabello Villarejo, Ana Musicki Savic, Angela Guimaraes Pereira</i>	21
66	SWRO O&M: Partial replacement with TFN membranes in Maspalomas I SWRO <i>Alvaro Lagartos, Juan Carlos Gonzalez, Silvia Gallego, Eugene Rozenbaum, Hoon Hyung, Juan Carlos de Armas</i>	22
67	Case study: Reduction in energy consumption with second generation TFN membranes in La Caleta SWRO (Canary Islands, Spain) <i>Alvaro Lagartos, Raul Santos, Juan Carlos de Armas, Francisco Jesus García Martín</i>	23
70	In situ microstructural analysis of biofilm developed in filtration systems <i>S. Kerdi, A. Qamar, A. Alpatova, N. Ghaffour</i>	24
73	Influence of polyamide-layer surface morphology on reverse osmosis membrane scaling – A visualization case study on CaCO₃ scaling <i>N.R. Sarker, P. Cherukupally, J. Wilbur, A. Bilton</i>	25
74	Theoretical and experimental investigation on vacuum assisted AGMD (V-AGMD): Effect of design and operation parameters <i>Yusik Kim, Yongjun Choi, Jihyeok Choi, Jaehyun Ju, Sangho Lee</i>	27
75	Characterization of biofouling in spacer filled membrane filtration channels using optical coherence tomography <i>Theo Huisman, B. Blankert, Szilard Bucs, Johannes S. Vrouwenvelder</i>	28
76	Optimization of membrane distillation modules configuration through CFD calculations, validated experimentally for brine treatment <i>Sofiane Soukane, Noredine Ghaffour</i>	28



78	Sewage sludge and the ignition of an experimental combustor: state of the art in biomass approach <i>Francisco Romero-Artiles, Carlos Mendieta-Pino, Jenirfer Vaswani-Reboso, Alejandro Ramos-Martín, Vicente Henríquez-Concepción, F.A. Leon</i>	29
79	Method for stable operation for an integrated stand-alone downsized diesel engine and solar PV generator system for powering a reverse osmosis plant <i>David Echeverría-Santos, Alejandro Ramos-Martín, Vicente Henríquez-Concepción, Jorge Valencia-Santana, Carlos Mendieta-Pino, F.A. Leon</i>	30
82	Innovative membrane process with microfiltration and reverse osmosis treating the effluent (wastewater) produced in a cheese industry (cheese whey) to get “waste 0” and sub-products <i>Alejandro Caballero, Bruno Morgado, Pablo Caballero, Luis Martín, Juan Parrado, F.A. Leon, Alejandro Ramos-Martín</i>	31
84	New seawater fouling resistant membrane element <i>Guillem Gilabert-Oriol, David Arias, Jordi Bacardit, Verónica García-Molina, Gerard Melich, María Pérez</i>	32
85	The importance of long-term stable performance of reverse osmosis elements <i>Guillem Gilabert-Oriol, Blanca Salgado, Verónica García Molina, Gerard Melich, María Pérez</i>	33
87	Wave to energy and water — desalination via Wavepiston wave energy converter <i>Heikki Kauranne, Jakob Wedel-Heinen, Michael Henriksen</i>	34
91	Influence of temperature in the performance of a non-stirred anaerobic bioreactors for the wastewater treatment <i>S. Brito-Espino, A. Ramos-Martín, C. Mendieta-Pino, S.O. Pérez-Báez, F. León</i>	34
92	Analysis of brine management from the perspective of the sustainable development goals <i>Adrián Gil Trujillo, José Jaime Sadhwani Alonso</i>	35
94	A fouling comparison study of algal, bacterial, and humic organic matters in seawater desalination pretreatment using UF ceramic membranes <i>Mohammed A. Namazi, Sheng Li, S. Assiyeh A. Tabatabai, Gary L. Amy, Noredine Ghaffour, TorOve Leiknes</i>	36
97	Nutrient limitation strategy for biofouling control in seawater reverse osmosis membranes <i>Zulema Borjas, Carlos Bayona, Andrea Picazo, Enrique Ferrero, Olga Ferrer, Jorge Malfeito</i>	37
98	Innovative high recovery seawater reverse osmosis desalination scheme <i>Carlos Bayona, Joana Carvalho, Daniel García-Huertas, Carme Repollès, Bart Nelemans, Olga Ferrer, Jorge Malfeito</i>	38
100	Environmentally friendly liquid cleaner for cost-effective reverse osmosis membrane cleaning <i>Núria Adroer, Alberto Cirugeda, Irene Marian, Alejandra Cardona, Eduard Cortada, Jordi Aumatell</i>	39
101	Breakthrough dry-tested seawater reverse osmosis elements <i>Kevin Reyntjens, María Angeles Pérez Maciá, Guillem Gilabert Oriol</i>	40
103	MITIMAC. Climate change mitigation through innovation in water cycle using low carbon technologies <i>Nenna El Kori, Sebastián Ovidio Pérez Báez, Antonio Gómez Gotor</i>	41
104	Microbial desalination cell for low energy drinking water production in Canary Island <i>Naiara Hernández-Ibáñez, Pau Rodenas, Juan M. Ortiz, Juan Arevalo, Victor M. Monsalvo, Abraham Esteve-Nuñez, Frank Rogalla</i>	42
105	Exploring novel filter media as pretreatment of reverse osmosis <i>Naiara Hernández-Ibáñez, Damian Amador Cabezali, Juan Arevalo, Victor M. Monsalvo, Frank Rogalla</i>	45
107	Electrodialysis processes for minimizing waste production in phosphoric acid plants <i>L. Monat, O. Nir</i>	47

ABSTRACTS — CONTENTS

108 Redox potential effect of bisulfite in brackish water with the presence of chlorine dioxide, chlorite, chlorate and metals <i>J.A. Salvadó, E. Ferrero, S. Navea, C. Repollés, J.J. Malfeito</i>	48
114 Design, development and demonstration of a large-scale MD plant (400 m³/d) <i>Yonghyun Shin, Hyeongrak Cho, Yongjun Choi, Sangho Lee</i>	48
115 Ultrafiltration as a pretreatment in a seawater reverse osmosis desalination plant <i>I. Suárez, N. Melián-Martel, B. Del Río-Gamero</i>	49
117 Simulation of bipolar membrane electrodialysis (BMED) units by a validated process model <i>A. Culcasi, A. Zaffari, L. Gurreri, A. Cipollina, A. Tamburini, G. Micale</i>	50
118 Desalinated seawater for crop production in closed soilless systems with drainage treatment <i>Patricia Terrero, Mercedes Calzada, Elena Campos, Domingo Zarzo, José F. Maestre, Belén Gallego, Bernardo M. Górriz, Victoriano Martínez Álvarez, Patricia M. Membrive, Diego Valera</i>	51
119 Recycled NF and UF membranes: pilot plant results <i>Patricia Terrero Rodríguez, Elena Campos Pozuelo, Mercedes Calzada Garzón, Raquel García Pacheco, Francisco Molina, Deborah Pomata, Manuel López, Junkal Landaburu, Eloy García Calvo, Domingo Zarzo Martínez</i>	52
120 Design and construction of a high energy-efficient BWRO desalination plant in the south east of Spain <i>Rafael Buendía Candel, Domingo Zarzo Martínez, Carlos García Soto, Francisco Molina Serrano, Patricia Terrero, Elena Campos Pozuelo, Mercedes Calzada Garzón</i>	52
121 Treatment of electroplating wastewater by combined membrane technologies and reactive precipitation process at a pilot scale <i>A. Ruiz-Aguirre, P. Hurtado, R. Gueccia, S. Randazzo, A. Cipollina, G. Micale, J. Leuter, F. Gross, D. Winter, G. Zaragoza</i>	53
122 The use of natural hydrostatic pressure for seawater desalination: theory, practical applications, and considerations <i>Daniel Bertram</i>	54
124 New aspects of concentration-polarization in reverse osmosis and nanofiltration: theory and practice <i>Oded Nir</i>	55
125 Simulation and evaluation of the performance of SWCC thermal desalination plants using exergy analysis <i>Faisal Abuderman, Jamel Orfi, Osman Hamed</i>	56
126 Prospects of solar assisted thermal desalination in remote areas of Saudi western regions <i>Ahmed Al-Ghamdi, Anis Fakeeha, Jamel Orfi, Hany AlAnsary, Osman Hamed</i>	57
127 Effect of intermittent and variable flux operation on fouling of reverse osmosis (RO) membrane in seawater desalination <i>Song Lee, Jihyeok Choi, Heungsik Yang, Yongjun Choi, Sangho Lee</i>	58
129 GIS-based graphical user interface tools for analyzing solar thermal desalination systems and high-potential implementation regions <i>Vasilis Fthenakis, Greg Yetman, Adam Atia, Zhuoran Zhang, John Squires, Diego-César Alarcón-Padilla, Patricia Palenzuela, Guillermo Zaragoza</i>	59
133 Investigation of membrane distillation affected by scale formation during concentration of seawater brines <i>Sebastian Schilling, Heike Glade</i>	60
153 Highly efficient high-pressure pumps and energy recovery devices for retrofitting <i>Javier Lorenzo</i>	62

**Simulation of bipolar membrane electro dialysis (BMED) units
by a validated process model**

A. Culcasi*, A. Zaffora, L. Gurreri, A. Cipollina, A. Tamburini, G. Micale

*Dipartimento di Ingegneria, Università degli Studi di Palermo (UNIPA)
viale delle Scienze Ed.6, 90128 Palermo, Italy*

**corresponding author: andrea.culcasi@unipa.it*

The BMED technology can be used for the production or the regeneration of acid and base solutions by water dissociation. BMED has practical applications in several fields including in chemical and biochemical industry, environmental protection and, recently, even for brine valorisation. Many are the irreversibility sources involved in the BMED process. Some of them are related to the non-ideal transport properties of the ion exchange membranes causing undesired co-ion leakages and water flux. Furthermore, the presence of shunt currents through the manifolds (i.e. distributors and collectors of the solutions) decrease the current efficiency.

The aim of this work is to give a quantitative description of the main phenomena involved in BMED processes by a multi-scale model. Four different dimensional scales were effectively combined within the gPROMS platform. The lowest scale simulates the channels and includes two sub-models. CFD simulations are devoted to the estimation of concentration polarization phenomena and pressure losses while the other channel sub-model evaluates the physical properties of the solutions. The middle-low level simulates the triplets, combining mass balance equations and fluxes through the membranes. Moreover, this model scale calculates electrical variables as the cell resistance and the electromotive force. Channel and triplet scales were implemented with 1-D discretization of the variables. The middle-high level is the stack model. It includes two sub-models: one predicts the shunt currents through the manifolds and the other one calculates the pressure losses in the whole stack. The highest level is the external circuit one, which computes the external pressure losses and the transient behaviour of closed-loop layouts. This multi-scale model was validated both by experiments with a laboratory test-rig unit and data already presented in literature. A sensitivity analysis was performed to gather useful information about the system performance by comparing current efficiency and net power density in different configurations. Simulation results show the effect of the operating variables (e.g. current density and mean flow velocity) and system geometry, highlighting the importance of the manifolds characteristics for the process efficiency. The thoroughness of this mathematical model provides a powerful tool for the design of BMED units.

Keywords: Electro dialysis; Bipolar membrane; Ion-exchange membrane; Water dissociation; Acid; Base; Modelling